Amended Claims:

1. Benzoxazinone-derived sulfonamide compounds of general formula (I)



(I),

wherein

R^1, R^2, R^3, R^4 are each independently selected from the group consisting of hydrogen, halogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ringsystem, a nitro group, a cyano group, $-OR^{10}$, $-OC(=O)R^{11}$, $-(C=O)-OR^{11}$, $-SR^{12}$, $-SOR^{12}$, $-SO_2R^{12}$, $-NH-SO_2R^{12}$, $-SO_2NH_2$ and a $-NR^{13}R^{14}$ moiety,

R^5 represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical or a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical,

R^6, R^7, R^8, R^9 are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, a cyano group and a $-COOR^{15}$ moiety,

W represents an unbranched or branched, saturated or unsaturated aliphatic radical, which may be substituted by one or more substituents selected from the group consisting of hydroxy, halogen, branched or unbranched C_{1-4}-alkoxy, branched or unbranched C_{1-4}-perfluoroalkoxy, branched or unbranched C_{1-4}-perfluoroalkyl, amino, carboxy, amido, cyano, nitro, $-SO_2NH_2$, $-CO-C_{1-4}$-alkyl, $-SO-C_{1-4}$-alkyl, $-SO_2-C_{1-4}$-alkyl, $-NH-SO_2-C_{1-4}$-alkyl , wherein the C_{1-4}-alkyl may in each case be branched or unbranched, an unsubstituted or at least mono-substituted phenyl or naphthyl radical and an unsubstituted or at least mono-substituted furanyl, thienyl, pyrrolyl, imidazolyl, pyrazolyl, pyridinyl, pyrimidinyl, quinolinyl and isoquinolinyl radical,
whereby said substituents may be at least mono-substituted with F, Cl, methyl and methoxy,

a saturated or unsaturated, optionally at least one heteroatom as ring member containing cycloaliphatic radical, whereby said cycloaliphatic radical may be substituted by one or more substituents selected from the group consisting of hydroxy, nitro, carboxy, cyano, keto, halogen, C_{1-20}-alkyl, partially fluorinated C_{1-4} alkyl, partially chlorinated C_{1-4} alkyl, partially brominated C_{1-4} alkyl, C_{1-5}-alkoxy, partially fluorinated C_{1-4} alkoxy, partially chlorinated C_{1-4} alkoxy, partially brominated C_{1-4} alkoxy, C_{2-6}-alkenyl, SO_2-C_{1-4}-alkyl, $-(C=O)-C_{1-5}$-alkyl, $-(C=O)-O-C_{1-5}$-alkyl, $-(C=O)-Cl$, $-S-C_{1-4}$-alkyl-, $-(C=O)-H$, $-NH-(C=O)-NH-C_{1-5}$-alkyl, $-(C=O)-C_{1-4}$-perfluoroalkyl, $-NR^AR^B$, wherein R^A and R^B are independently selected from the group consisting of H, C_{1-4}-alkyl and phenyl,

NH-(C=O)-C_{1-5}-alkyl, -C_{1-5}-alkylen-(C=O)-C_{1-5}-alkyl, (1,3-Dihydro-1-oxo-2H-isoindol-2-yl), N-Phthalimidinyl-, (1,3-Dioxo-2-azaspiro[4,4]-non-2-yl, substituted or unsubstituted phenyl, -SO_2-phenyl, phenoxy, pyridinyl, pyridinyloxy, pyrazolyl, pyrimidinyl, pyrrolidinyl-, -SO_2-pyrrolidinyl, morpholinyl, SO_2-morpholinyl-, thiadiazolyl, oxadiazolyl, oxazolyl, thiazolyl, isoxazolyl, O-CH_2-thiazolyl, -NH-phenyl, and -C_{1-4}-Alkylen-NH-(C=O)-phenyl, whereby said substituents may be substituted by one or more substituents selected from the group consisting of halogen, nitro, cyano, hydroxy, -(C=O)-C_{1-4}-alkyl, C_{1-4}-alkyl, at least partially fluorinated C_{1-4}-alkyl, at least partially chlorinated C_{1-4}-alkyl, at least partially brominated C_{1-4}-alkyl, -S-C_{1-4}-alkyl, -C(=O)-O-C_{1-5}-alkyl, -(C=O)-CH_2-F, -(C=O)-CH_2-Cl and -(C=O)-CH_2-Br, and whereby said cycloaliphatic radical may be bonded via an optionally mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted aromatic mono- or polycyclic ring-system,

an optionally at least mono-substituted heteroaryl radical, which may be bonded via an optionally mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

an optionally at least mono-substituted, monocyclic aryl radical, which is condensed with an optionally at least mono-substituted mono- or polycyclic ring-system and which may be bonded via an optionally at least mono-substituted alkylene group,

a -$NR^{16}R^{17}$-moiety,

a -COR^{18}-moiety,

or a phenyl radical, which is at least mono-substituted with one of the substituents selected from the group consisting of:

2,2,2,-Trifluoroethoxy-, C_{2-6}-Alkenyl-, 1,3-Dihydro-1-oxo-2H-isoindol-2-yl-, N-Phthalimidinyl-, [(2-chloro-1,3-thiazolyl-5-yl)-methoxy, Ethyl-5-yl-2-methyl-3-furoate, C_{11-20}-alkyl-, 1,3-Dioxo-2-azaspiro[4,4]non-2-yl-, pyrazolyl-, (1,3-oxazol-5-yl)-, (5-Methyl-1,3,4-oxadiazol-2-yl)-, difluoromethoxy, dichloromethoxy, 1-pyrrolidinylsulfonyl, morpholinosulfonyl, 2-methyl-4-pyrimidinyl-, a phenoxy group, which is at least mono-substituted with C_{1-5}-alkoxy, a phenyl group, which is at least mono-substituted with one of the substituents selected from the group consisting of nitro, C_{1-5}-alkoxy, F, Cl, Br, at least partially fluorinated C_{1-5}-alkyl, at least partially chlorinated C_{1-5}-alkyl, [(2-Chloro-1,3-thiazol-5-yl)-methoxy]-, -(C=O)-H and -(C=O)-C_{1-5}-alkyl, a pyridinyl group, which is at least mono-substituted with C_{1-5}-alkoxy, a pyridinyloxy group, which is at least mono-substituted with C_{1-5}-alkoxy, a phenoxy group, which is at least di-substituted and a pyridinyloxy group, which is at least di-subsituted,

with the proviso that W does not represent unsubstituted furyl-, unsubstituted thienyl- or thienyl substituted with a substituent selected from the group consisting of C_{1-5}-alkoxycarbonyl, C_{1-5}-alkylcarbonyl, carboxyl and pyridyl, unsubstituted pyrrolyl-, unsubstituted naphthyl, unsubstituted indolyl, unsubstituted tetrahydronaphthyl, substituted or unsubstituted pyridyl, unsubstituted pyrazinyl, unsubstituted quinolinyl-, C_{1-5}-alkylsubstituted pyrrolyl-, and unsubstituted cyclohexyl or cyclohexyl substituted with one or two members selected from the group consisting of oxo, hydroxyl, C_{1-5}-alkoxyl, C_{1-5}-alkoxy-carbonylamino-C_{1-5} alkyl and amino-C_{1-5} alkyl,

R^{10} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted

alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{11} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{12} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{13} and R^{14} each are independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may

be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

or R^{13} and R^{14} together with the bridging nitrogen atom form a saturated, unsaturated or aromatic heterocyclic ring, which may be at least mono-substituted and/or contain at least one further heteroatom as a ring member,

R^{15} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{16} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical,

R^{17} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, and

R^{18} represents an optionally at least mono-substituted aryl radical,

optionally in form of one of its stereoisomers, preferably enantiomers or diastereomers, its racemate or in form of a mixture of at least two of its stereoisomers, preferably enantiomers or diastereomers, in any mixing ratio, or a corresponding salt thereof, or a corresponding solvate.

2. Compounds according to claim 1, characterized in that R^1, R^2, R^3, R^4 are each independently selected from the group consisting of H, F, Cl, Br, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6}-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical, which may be bonded via an optionally

at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ringsystem, a nitro group, a cyano, $-OR^{10}$, $-OC(=O)R^{11}$, $-SR^{12}$, $-SOR^{12}$, $-SO_2R^{12}$, $-NH-SO_2R^{12}$, $-SO_2NH_2$ and a $-NR^{13}R^{14}$ moiety, preferably selected from the group consisting of H, F, Cl, Br, a saturated, branched or unbranched, optionally at least mono-substituted C_{1-3}-aliphatic radical, a saturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_5- or C_6- cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_1- or C_2-alkylene group, a nitro, cyano, $-OR^{10}$, $-OC(=O)R^{11}$, $-SR^{12}$ and $-NR^{13}R^{14}$ moiety, more preferably selected from the group consisting of H, F, Cl, $-CH_3$, $-CH_2CH_3$, $-CF_3$, $-CF_2CF_3$, cyclopentyl, cyclohexyl, a nitro group, a cyano group and $-OR^{10}$.

3. Compounds according to claim 1 or 2, characterized in that R^5 represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6}-aliphatic radical or a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical, preferably represents H or a branched or unbranched C_{1-3}-alkyl radical, more preferably represents H, $-CH_3$ or $-CH_2CH_3$.

4. Compounds according to any one of claims 1 to 3, characterized in that R^6, R^7, R^8, R^9 are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6}-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical, a cyano group and a $-COOR^{15}$ moiety, preferably selected from the group consisting of H, a branched or unbranched C_{1-3}-alkyl radical, a cyano group and a $-COOR^{15}$ group, more preferably from the group consisting of H, $-CH_3$, $-CH_2CH_3$ and a cyano moiety.

5. Compounds according to any one of claims 1 to 4, characterized in that W represents an unbranched or branched C_{11-20}-alkyl radical, which may be substituted by one or more substituents selected from the group consisting of hydroxy, halogen, branched or unbranched C_{1-4}-alkoxy, branched or unbranched C_{1-4}-perfluoroalkoxy, branched or unbranched C_{1-4}-perfluoroalkyl, amino, carboxy, amido, cyano, nitro, $-SO_2NH_2$, $-CO-C_{1-4}$-alkyl, $-SO-C_{1-4}$-alkyl, $-SO_2-C_{1-4}$-alkyl, $-NH-SO_2-C_{1-4}$-alkyl , wherein the C_{1-4}-alkyl may in each case be branched or unbranched, an unsubstituted or at least mono-substituted phenyl or naphthyl radical and an unsubstituted or at least mono-substituted furanyl, thienyl, pyrrolyl, imidazolyl, pyrazolyl, pyridinyl, pyrimidinyl, quinolinyl and isoquinolinyl radical, whereby said substituents may be at least mono-substituted with F, Cl, methyl and methoxy; a napthyl group, which is at least mono substituted, a quinolinyl group, which is at least mono-substituted, a pyrrolyl group, which is at least mono-substituted by a substituent other than C_{1-5}-alkyl, an optionally at least mono-substituted thiazolyl-, benzo[b]-thiophenyl-, benzo[b]-furanyl-, isoquinolinyl-, tetrahydroisoquinolinyl-, pyrazolyl-, isoazolyl-, chromanyl-, benzothiadiazolyl-, imidazolyl-, benzofurazanyl-, dibenzo[b,d]-furanyl-, benzoxadiazolyl-, imidazo[2,1-b]-thiazolyl-, anthracenyl-, coumarinyl-, 2,3-Dihydro-1,4-benzodioxinyl-, 2,3-Dihydrobenzo[b]furanyl-, 3,4-Dihydro-2H-1,4-Benzoxazinyl-, 3,4-Dihydro-2H-1,5-Benzodioxepinyl-, Benzothiazolyl-, Imidazo[1,2-a]-pyridinyl-, a chromonyl-group, an isatinyl group, a pentamethyldihydrobenzofuranyl group, a cyclopropyl- or cyclopentyl-group whereby said cyclopropyl or cyclopentyl group may be substituted by one or more substituents selected selected from the group consisting of hydroxy, nitro, carboxy, cyano, keto, halogen, C_{1-20}-alkyl, partially fluorinated C_{1-4} alkyl, partially chlorinated C_{1-4} alkyl, partially brominated C_{1-4} alkyl, C_{1-5}-alkoxy, partially fluorinated C_{1-4} alkoxy, partially chlorinated C_{1-4} alkoxy, partially brominated C_{1-4} alkoxy, C_{2-6}-alkenyl, SO_2-C_{1-4}-alkyl, $-(C=O)-C_{1-5}$-alkyl, $-(C=O)-O-C_{1-5}$-alkyl, $-(C=O)-Cl$, $-S-C_{1-4}$-alkyl-, $-(C=O)-H$, $-NH-(C=O)-NH-C_{1-5}$-alkyl, $-(C=O)-C_{1-4}$-perfluoroalkyl, $-NR^AR^B$, wherein R^A and R^B are independently selected from the group consisting of H, C_{1-4}-alkyl and phenyl, $NH-(C=O)-C_{1-5}$-alkyl, $-C_{1-5}$-alkylen-$(C=O)-C_{1-5}$-alkyl, (1,3-Dihydro-1-oxo-2H-isoindol-2-yl), N-Phthalimidinyl-, (1,3-Dioxo-2-azaspiro[4,4]-non-2-yl,

substituted or unsubstituted phenyl, -SO_2-phenyl, phenoxy, pyridinyl, pyridinyloxy, pyrazolyl, pyrimidinyl, pyrrolidinyl-, -SO_2-pyrrolidinyl, morpholinyl, SO_2-morpholinyl-, thiadiazolyl, oxadiazolyl, oxazolyl, thiazolyl, isoxazolyl, O-CH_2-thiazolyl, -NH-phenyl, and -C_{1-4}-Alkylen-NH-(C=O)-phenyl,
whereby said substituents may be substituted by one or more substituents selected from the group consisting of halogen, nitro, cyano, hydroxy, -(C=O)-C_{1-4}-alkyl, C_{1-4}-alkyl, at least partially fluorinated C_{1-4}-alkyl, at least partially chlorinated C_{1-4}-alkyl, at least partially brominated C_{1-4}-alkyl, -S-C_{1-4}-alkyl, -C(=O)-O-C_{1-5}-alkyl, -(C=O)-CH_2-F, -(C=O)-CH_2-Cl and -(C=O)-CH_2-Br,
a 2-(1,3-Dioxo-1,3-dihydro-isoindol-2-yl-)-ethyl, a thienyl group, which is at least mono-substituted by one or more substituents independently selected from the group consisting of F, Cl, Br, C_{1-5}-alkoxy-, CF_3, -SO_2-C_{1-5}-alkyl and optionally at least mono substituted benzoylaminomethyl-, phenylsulfonyl-, isoxazolyl-, benzamidomethyl-, pyrimidyl-, thiazolyl-, pyrazolyl-, phenyl-, 1,2,4-thiadiazolyl-, 1,3-oxazolyl- or 1,2,4-oxadiazolyl-, a furyl group, which is at least mono-substituted by one or more subsitutents independently selected from the group consisting of a C_{1-5}-alkyl radical, which may be at least partially fluorinated or chlorinated, an optionally at least mono-substituted phenyl and a -(C=O)-O-C_{1-5}-alkyl group,

a $NR^{16}R^{17}$-moiety,

a COR^{18}-moiety,

or a phenyl radical, which is at least mono-substituted with one of the substituents selected from the group consisting of:

2,2,2,-Trifluoroethoxy-, C_{2-6}-Alkenyl-, 1,3-Dihydro-1-oxo-2H-isoindol-2-yl-, N-Phthalimidinyl-, [(2-chloro-1,3-thiazolyl-5-yl)-methoxy, Ethyl-5-yl-2-methyl-3-furoate, C_{11-20}-alkyl-, 1,3-Dioxo-2-azaspiro[4,4]non-2-yl-, pyrazolyl-, (1,3-oxazol-5-yl)-, (5-Methyl-1,3,4-oxadiazol-2-yl)-, difluoromethoxy, dichloromethoxy, 1-pyrrolidinylsulfonyl, morpholinosulfonyl, 2-methyl-4-pyrimidinyl-, a phenoxy group, which is at least mono-substituted with C_{1-5}-alkoxy, a phenyl group, which is at least mono-substituted with one of the

substituents selected from the group consisting of nitro, C_{1-5}-alkoxy, F, Cl, Br, at least partially fluorinated C_{1-5}-alkyl, at least partially chlorinated C_{1-5}-alkyl, [(2-Chloro-1,3-thiazol-5-yl)-methoxy]-, -(C=O)-H and -(C=O)-C_{1-5}-alkyl, a pyridinyl group, which is at least mono-substituted with C_{1-5}-alkoxy, a pyridinyloxy group, which is at least mono-substituted with C_{1-5}-alkoxy, a phenoxy group, which is at least di-substituted and a pyridinyloxy group, which is at least di-subsituted,

more preferably W represents a moiety selected from the group consisting of 5-Dimethylamino-napth-1-yl, 2-Acetamido-4-methyl-5-thiazolyl-, Trifluoromethyl-, Trichloromethyl-, Isopropyl-, Methyl-, 2,2,2-Trifluoroethyl-, Ethyl-, Hexadecyl-, 2-Chloroethyl-, n-Propyl-, 3-Chloro-propyl-, n-Butyl-, Dichloromethyl-, Chloromethyl-, Dodecyl-, 1-Octyl-, 6-(p-toluidino)-naphth-2-yl-, 4,5-Dibromo-thiophene-2-yl-, Benzoylchloride-3-yl-, 1-Octadecyl-, 4-Bromo-2,5-dichloro-thiophene-3-yl-, 2,5-Dichloro-thiophene-3-yl-, 5-Chloro-thiophene-2-yl-, 1-Decyl-, 3,5-Dichloro-4-(2-chloro-4-nitrophenoxy)-phenyl-, 2,3-Dichlorothiophene-5-yl-, 3-Bromo-2-chloro-thiophene-5-yl-, 3-Bromo-5-chloro-thiophene-2-yl-, 2-(Benzoylaminomethyl)-thiophene-5-yl-, 4-(Phenyl-sulphonyl)-thiophene-2-yl-, 2-Phenyl-sulphonyl-thiophene-5-yl-, 2-[1-Methyl-5-(trifluoromethyl)pyrazol-3-yl]-thiophene-5-yl-, 5-Chloro-1,3-dimethylpyrazole-4-yl-, 3,5-Dimethylisoxazole-4-yl-, 2-(2,4-Dichlorophenoxy)-phenyl, 4-(2-Chloro-6-nitro-phenoxy)-phenyl-, 4-(3-chloro-2-cyanophenoxy)-phenyl, 2,4-Dimethyl-1,3-thiazole-5-yl-, Methyl-methane-sulfonyl-, 2,5-Bis-(2,2,2-Trifluoroethoxy)-phenyl-, 5-(Di-n-propylamino)-naphth-1-yl-, 2,2,5,7,8-Pentamethyl-chroman-6-yl-, 5-Chloro-4-nitro-thiophene-2-yl-, 2,1,3-Benzothiadiazole-4-yl-, 1-Methyl-imidazole-4-yl-, Benzofurazan-4-yl-, 5-(Isoxazol-3-yl)-thiophene-2-yl-, Vinyl-phenyl-4-yl-, 5-Dichloro-methyl-furan-2-yl-, 5-Bromo-thiophene-2-yl-, 5-(4-Chlorobenzamidomethyl)-thiophene-2-yl-, Dibenzo[b,d]-furan-2-yl-, 5-Chloro-3-methylbenzo[b]-thiophene-2-yl-, 3-Methoxy-4-(methoxycarbonyl)-thiophene-2-yl-, 5-[2-(Methylthio)-pyrimidin-4-yl-]-thiophene-2-yl-, 4-Chloro-2,1,3-Benzoxadiazole-7-yl-, 5-Chloro-2,1,3-Benzoxadiazole-4-yl-, 6-Chloro-Imidazo(2,1-b)-thiazole-5-yl-, 3-Methyl-benzo[b]-thiophene-2-yl-, 4-[[3-Chloro-5-(Trifluoromethyl)-2-pyridyl]oxy-phenyl-, 5-Chloro-naphth-1-yl-, 5-Chloro-naphth-2-yl-, 9,10-Dibromoanthracene-2-yl-,

Isoquinoline-5-yl-, 4-Methoxy-2,3,6-trimethylbenzoyl-, 4'-Nitro-biphenyl-4-yl-, (1,3-Dihydro-1-oxo-2H-isoindol-2-yl-)-4-phenyl-, 5-(2-Methyl-1,3-thiazole-4-yl)-thiophene-2-yl-, 5-(1-Methyl-3-(trifluoromethyl)pyrazol-5-yl-]-thiophene-2-yl-, 5-[5-Trifluoromethyl)-isoxazol-3-yl]-thiophene-2-yl-, p-Dodecyl-phenyl-, 4-[(3-Cyano-4-methoxy-2-pyridinyl)oxy]-phenyl-, 4-(N-phthalimidinyl)-phenyl-, 1,2,3,4-Tetrahydro-2-(trifluoroacetyl)-isoquinoline-7-yl-, 1,2-Dimethylimidazole-4-yl-, 2,2,4,6,7-Pentamethyldihydrobenzofuran-5-yl-, 4-Chloro-naphth-1-yl-, 2,5-Dichloro-4-nitro-thiophene-3-yl-, 4-(4-Methoxy-phenoxy)-phenyl-, [4-(3,5-Dichlorophenoxy)phenyl]-, [4-(3,4-Dichlorophenoxy)phenyl]-, [4-(3,5)-Bis(trifluoromethylphenoxy)phenyl]-, 3-(2-Methoxy-phenoxy)-phenyl, 3-(4-Methoxy-phenyl)-phenyl-, 3-(4-Chloro-phenyl)-phenyl-, 3-(3,5-Dichloro-phenyl)-phenyl-, 3-(3,4-Dichloro-phenyl)-phenyl-, 3-(4-Fluorophenyl)-phenyl-, 3-[4-(Trifluoromethyl)-phenyl]-phenyl-, 3-[3,5-Bis-(Trifluoromethyl)-phenyl]-phenyl-, 4-(2-Methoxy-phenoxy)-phenyl-, 4-(2-Methyl-phenoxy)-phenyl-, 4-(4-Methoxy-phenoxy)-phenyl-, 4-(4-Chlorophenyl)-phenyl-, 4-(3,5-Dichlorophenyl)-phenyl-, 4-(3,4-Dichlorophenyl)-phenyl-, 4-(4-Fluorophenyl)-phenyl-, 4-[4-(Trifluormethyl)-phenyl]-phenyl-, 4-[3,5-Bis-(Trifluoromethyl)-phenyl]-phenyl-, Cyclopropyl-, 2-(2-Chlorophenyl)-2-Phenylethyl-, 2-(2-Trifluoromethylphenyl)-2-phenylethyl-, 5-[4-Cyano-1-methyl-5-(methylthio)-1H-pyrazol-3-yl-thiophene-2-yl-, 3-Cyano-2,4-bis-(2,2,2-Trifluorothoxy)-phenyl-, 4-[(2-Chloro-1,3-Thiazol-5-yl)-methoxy]-phenyl-, 2-(1,3-Dioxo-1,3-dihydro-isoindol-2-yl)-ethyl-, 5-Iodo-naphth-1-yl-, Ethyl-2,5-dimethyl-1-phenylpyrrole-4-carboxylate-3-yl-, Ethyl-2-methyl-1,5-diphenyl-1H-pyrrole-3-carboxylate-4-yl-, Ethyl-5-(4-chlorophenyl)-2-methyl-3-furoate-4-yl, Ethyl-5-(4-chlorophenyl)-2-methyl-1-phenyl-3-carboxylate-4-yl-, Ethyl-2,5-dimethyl-3-furoate-4-yl-, 3-Chloro-4-(1,3-dioxo-2-Azaspiro[4,4]non-2-yl)-phenyl-, Coumarin-6-yl, 3-(4-Methoxy-phenoxy)-phenyl-, [3-(3,5-Dichlorophenoxy)]-phenyl-, [3-(3,4 Dichlorophenoxy)]-phenyl-, 3,5-Bis(Trifluoromethyl)phenoxyphenyl-, 2,2-Diphenylethyl-, 4-Phenyl-5-(trifluoromethyl)-thiophene-3-yl-, Methyl-4-Phenyl-5-(Trifluoromethyl)-thiophene-2-carboxylate-3-yl-, Methyl-1,2,5-trimethylpyrrole-3-Carboxylate-4-yl-, 4-Fluoro-naphth-1-yl-, 5-Fluoro-3-methylbenzo[b]-thiophene-2-yl-, Methyl-2,5-dimethyl-3-furoate-4-yl-, Methyl-2-furoate-5-yl-, Methyl-2-methyl-3-furoate-5-yl-, Methyl-1-methyl-1H-pyrrole-2-Carboxylate-5-yl-, 2-(5-Chloro-1,2,4-Thiadiazol-3-yl)-thiophene-5-yl-, 1,3,5-

Trimethyl-1H-pyrazole-4-yl-, Pentafluoroethoxytetrafluoroethyl-, 5-(5-Isoxazyl)-thiophene-2-yl-, 5-(5-Isoxazol-yl)-2-furyl-, 5-Methyl-2,1,3-benzothiadiazole-4-yl-, 2,3-Dihydro-1,4-benzodioxine-6-yl-, 4-Methyl-Naphth-1-yl-, 5-Methyl-2-(Trifluormethyl)-3-Furyl-, 2,3-Dihydrobenzo[b]furan-5-yl-, 1-Benzothiophene-3-yl-, 4-Methyl-3,4-dihydro-2H-1,4-Benzoxazine-7-yl-, 5-Methyl-1-phenyl-1H-pyrazole-4-yl-, 6-Morpholino-3-Pyridinyl-, 4-(1H-Pyrazol-1-yl)-phenyl-, 6-Phenoxy-3-Pyridyl-, 3,4-Dihydro-2H-1,5-benzodioxepine-7-yl-, 5-(1,3-Oxazol-5-yl)-2-thienyl-, 4-(1,3-Oxazol-5-yl)-phenyl-, 5-Methyl-4-Isoxazolyl, 2,1,3-Benzothiadiazole-5-yl-, 5-Acetamido-naphth-1-yl-, 3-Methyl-8-Quinolinyl-, 1,3-Benzothiazole-6-yl-, 2-Morpholino-3-Pyridyl-, 2,5-Dimethyl-3-thienyl-, 5-[5-(Chloromethyl)-1,2,4-oxadiazol-3-yl]-2-thienyl-, Ethyl-3-[5-yl-2-thienyl-]1,2,4-oxadiazole-5-carboxylate-, 3-(5-Methyl-1,3,4-oxadiazol-2-yl)-phenyl-, 4-(Difluoromethoxy)-phenyl-, 3-(Difluoromethoxy)-phenyl-, 2,2-Dimethyl-6-Chromanyl-, Ethyl-3,5-dimethyl-1H-pyrrole-2-carboxylate-4-yl-, Imidazo[1,2-A]pyridine-3-yl-, 3-(1,3-Oxazol-5-yl)-phenyl-, Ethyl-5-[4-yl)-phenyl]-2-methyl-3-furoate, 1-Pyrrolidinylphenylsulfonyl-, Methyl-5-yl-4-methyl-2-thiophene-carboxylate, Methyl-3-yl-4-(isopropylsulfonyl)-2-thiophene, 7-Chlorochromone-3-yl-, 4'-Bromobiphenyl-4-yl-, 4'-Acetyl-biphenyl-4-yl-, 4'-Bromo-2'-fluoro-biphenyl-4-yl-, 1-Methyl-5-isatinyl-, 2-Chloro-3-thiophenecarboxylic-acid-5-yl-, 2-Methoxy-5-(N-phthalimidinyl)-phenyl-, 1-Benzothiophene-2-yl-, Morpholinophenylsulfonyl- and 3-(2-Methyl-4-pyrimidinyl)-phenyl-

6. Compounds according to any one of claims 1 to 5, characterized in that R^{10} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6}-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

preferably H, a linear or branched C_{1-4}-alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably H, $-CH_3$, $-C_2H_5$ or phenyl.

7. Compounds according to any one of claims 1 to 6, characterized in that R^{11} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6}-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably H, a linear or branched C_{1-4}-alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably H, $-CH_3$, $-C_2H_5$ or phenyl.

8. Compounds according to any one of claims 1 to 7, characterized in that R^{12} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6}-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6- membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably represents H, a linear or branched C_{1-4}-alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably H, $-CH_3$, $-C_2H_5$ or phenyl.

9. Compounds according to any one of claims 1 to 8, characterized in that R^{13} and R^{14} are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6}-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably are each independently selected from the group consisting of H, a linear or branched C_{1-4}-alkyl radical, a cyclohexyl radical and a phenyl radical, more preferably are each independently selected from the group consisting of H, $-CH_3$, $-C_2H_5$ and phenyl.

10. Compounds according to any one of claims 1 to 8, characterized in that R^{13} and R^{14} together with the bridging nitrogen atom form a saturated, unsaturated or aromatic, 5- or 6-membered heterocyclic ring, which may be at least mono-substituted and/or contain at least one further heteroatom as a ring member, preferably form an unsubstituted piperidin or morpholine group.

11. Compounds according to any one of claims 1 to 10, characterized in that R^{15} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6}-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical or an optionally at least mono-substituted, 5- or 6- membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably represents H, a linear

or branched C_{1-4}-alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably represents H, $-CH_3$, $-C_2H_5$ or phenyl.

12. Compounds according to any one of claims 1 to 11, characterized in that R^{16} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} aliphatic radical, preferably an unbranched or branched, saturated, unsubstituted C_{1-3} alkyl radical, more preferably a methyl radical.

13. Compounds according to any one of claims 1 to 12, characterized in that R^{17} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} aliphatic radical, preferably an unbranched or branched, saturated, unsubstituted C_{1-3} alkyl radical, more preferably a methyl radical.

14. Compounds according to one or more of claims 1 to 13:

1-[1-(5-Chloro-3-methyl-benzo[b]thiophenyl-2-sulfonyl)-piperidine-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(5-Dimethylamino-naphthyl-1-sulfonyl)-piperidine-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(5-Dimethylamino-naphthyl-1-sulfonyl)-piperidine-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

and corresponding salts thereof, and corresponding solvates.

15. Process for the preparation of benzoxazinone-derived sulfonamide compounds of general formula (I) according to one or more of claims 1 to 14, characterized in that it comprises reacting at least one piperidine compound of general formula (II), wherein R^1 to R^8 have the meaning according to claim 1, and/or a salt, preferably a hydrochloride salt, thereof,



(II)

with at least one compound of general formula (III),



(III)

wherein W has the meaning according to claim 1, in a suitable reaction medium, optionally in the presence of at least one base and/or at least one auxiliary agent.

16. Process for the preparation of a physiologically acceptable salt of the benzoxazinone-derived sulphonamide compounds according to claims 1-14, characterized in that at least one compound of general formula (I) having at least one basic group is reacted with at least one acid, preferably an inorganic or organic acid, preferably in the presence of a suitable reaction medium.

17. Process for the preparation of a physiologically acceptable salt of the benzoxazinone-derived sulphonamide compounds according to claims 1-14, characterized in that at least one compound of general formula (I) having at least one acidic group is reacted with at least one base, preferably in the presence of a suitable reaction medium.

18. Medicament comprising at least one benzoxazinone-derived sulphonamide compound according to any one of claims 1-14, optionally in form of one of its stereoisomers, preferably enantiomers or diastereomers, its racemate or in form of a mixture of at least two of its stereoisomers in any mixing ratio, or a physiologically acceptable salt thereof, or a solvate, respectively, and optionally one or more pharmaceutically acceptable adjuvants.

19. Medicament according to claim 18 for cognitive enhancement, for the prophylaxis and/or treatment of food ingestion (food intake) disorders, particularly for the regulation of appetite, for the maintenance, increase or reduction of body weight, for the prophylaxis and/or treatment of obesity, bulimia, anorexia, cachexia or type II diabetes (Non-Insulin Dependent Diabetes Mellitus), preferably type II diabetes, which is caused by obesity, disorders of the central nervous system, disorders of the gastrointestinal tract, such as irritable intestine syndrom, anxiety, panic, depression, cognitive memory disorders, senile dementia disorders, such as Morbus Alzheimer, Morbus Parkinson and Morbus Huntington, schizophrenia, psychosis, infantile hyperkinesia or ADHC (attention deficit, hyperactivity disorders).

20. Use of at least one benzoxazinone-derived sulphonamide compound according to any one of claims 1-14, optionally in form of one of its stereoisomers, preferably enantiomers or diastereomers, its racemate or in form of a mixture of at least two of its stereoisomers in any mixing ratio, or a physiologically acceptable salt thereof, or a solvate, for the manufacture of a medicament for cognitive enhancement, for the prophylaxis and/or treatment of food ingestion (food intake) disorders, particularly for the regulation of appetite, for the maintenance, increase or reduction of body weight, for the prophylaxis and/or treatment of obesity, bulimia, anorexia, cachexia or type II

diabetes (Non-Insulin Dependent Diabetes Mellitus), preferably type II diabetes, which is caused by obesity, disorders of the central nervous system, disorders of the gastrointestinal tract, such as irritable intestine syndrom, anxiety, panic, depression, cognitive memory disorders, senile dementia disorders, such as Morbus Alzheimer, Morbus Parkinson and Morbus Huntington, schizophrenia, psychosis, infantile hyperkinesia or ADHC (attention deficit, hyperactivity disorders).

21. Use of at least one benzoxazinone-derived sulfonamide compound of general formula (Ia),



(Ia)

wherein

R^{1a}, R^{2a}, R^{3a}, R^{4a} are each independently selected from the group consisting of hydrogen, halogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic

ring-system, an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ringsystem, a nitro group, a cyano group, $-OR^{10a}$, $-OC(=O)R^{11a}$, $-(C=O)-OR^{11a}$, $-SR^{12a}$, $-SOR^{12a}$, $-SO_2R^{12a}$, $-NH-SO_2R^{12a}$, $-SO_2NH_2$ and a $-NR^{13a}R^{14a}$ moiety,

R^{5a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical or a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical,

R^{6a}, R^{7a}, R^{8a}, R^{9a} are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, a cyano group and a $-COOR^{15a}$ moiety,

W^a represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, a $NR^{16a}R^{17a}$-moiety or a COR^{18a}-moiety,

R^{10a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may

be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{11a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{12a} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{13a} and R^{14a} each are independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an

optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

or R^{13a} and R^{14a} together with the bridging nitrogen atom form a saturated, unsaturated or aromatic heterocyclic ring, which may be at least mono-substituted and/or contain at least one further heteroatom as a ring member,

R^{15a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{16a} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical,

R^{17a} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical,

R^{18a} represents an optionally at least mono-subsituted aryl radical,

optionally in form of one of its stereoisomers, preferably enantiomers or diastereomers, its racemate or in form of a mixture of at least two of its stereoisomers, preferably enantiomers or diastereomers, in any mixing ratio, or a physiologically acceptable salt thereof, or a solvate, respectively,

for the manufacture of a medicament for the prophylaxis and/or treatment of food intake disorders; anxiety; panic; depression; cognitive disorders; preferably memory disorders; senile dementia processes, preferably selected

from the group consisiting of Morbus Alzheimer, Morbus Parkinson, Morbus Huntington; psychosis; infantile hyperkinesia; ADHC (attention deficit/hyperacitivity disorder); disorders of the gastrointestinal tract, preferably intestine syndrom; schizophrenia or for cognitive enhancement.

22. Use according to claim 21, characterized in that R^{1a}, R^{2a}, R^{3a}, R^{4a} are each independently selected from the group consisting of H, F, Cl, Br, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6}-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ringsystem, a nitro group, a cyano group, -OR^{10a}, -$OC(=O)R^{11a}$, -SR^{12a}, -SOR^{12a}, -SO_2R^{12a}, -NH-SO_2R^{12a}, -SO_2NH_2 and a -$NR^{13a}R^{14a}$ moiety, preferably selected from the group consisting of H, F, Cl, Br, a saturated, branched or unbranched, optionally at least mono-substituted C_{1-3}-aliphatic radical, a saturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_5- or C_6-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_1- or C_2-alkylene group, a nitro group, a cyano group, -OR^{10a}, -$OC(=O)R^{11a}$, -SR^{12a} and -$NR^{13a}R^{14a}$ moiety, more preferably selected from the group consisting of H, F, Cl, -CH_3, -CH_2CH_3, -CF_3, -CF_2CF_3, cyclopentyl, cyclohexyl, nitro, cyano and -OR^{10a}.

23. Use according to claim 21 or 22, characterized in that R^{5a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-8}-aliphatic radical or a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical, preferably represents H or a

branched or unbranched C_{1-3}-alkyl radical, more preferably H, $-CH_3$ or $-CH_2CH_3$.

24. Use according to any one of claims 21 to 23, characterized in that R^{6a}, R^{7a}, R^{8a}, R^{9a} are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6}-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical, a cyano group and a $-COOR^{15a}$ moiety, preferably selected from the group consisting of H, a branched or unbranched C_{1-3}-alkyl radical, a cyano group and a $COOR^{15a}$ group, more preferably from the group consisting of H, $-CH_3$, $-CH_2CH_3$ and a cyano moiety.

25. Use according to any one of claims 21 to 24, characterized in that W^a represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-20} aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6}- alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, a $NR^{16a}R^{17a}$-moiety or a COR^{18a}-moiety,

preferably is selected from the group consisting of 1-Naphthyl-, 5-Dimethylamino-napth-1-yl, 2-Naphthyl-, 2-Acetamido-4-methyl-5-thiazolyl-, 2-Thienyl-, 8-Quinolinyl-, Phenyl-, Pentafluorophenyl-, 2,4,5-Trichloro-phenyl-, 2,5-Dichloro-phenyl-, 2-Nitrophenyl-, 2,4-Dinitro-phenyl-, 3,5-Dichloro-2-hydroxy-phenyl-, 2,4,6-Trisisopropyl-phenyl-, 2-Mesityl-, 3-Nitro-phenyl-, 4-Bromo-phenyl-, 4-Fluoro-phenyl-, 4-Chlorophenyl-, 4-Chloro-3-nitro-phenyl-, 4-Iodo-phenyl-, N-Acetyl-sulfanilyl-, 4-Nitro-phenyl-, 4-Methoxy-phenyl-, Benzoic-acid-4-yl-, 4-tert-Butyl-phenyl-, p-Tolyl-, Trifluoromethyl-,

Trichloromethyl-, Isopropyl-, Methyl-, Benzyl-, trans-styryl-, 2,2,2-Trifluoroethyl-, Ethyl-, Hexadecyl-, 2-Chloroethyl-, n-Propyl-, 3-Chloro-propyl-, n-Butyl-, Methyl-benzoate-2-yl-, 2-Nitro-4-(trifluoromethyl)-phenyl-, Pentamethyl-phenyl-, 2,3,5,6-Tetramethyl-phenyl-, 3-(Trifluoromethyl)-phenyl-, 3,5-Bis-(Trifluoromethyl)-phenyl-, Dichloromethyl-, Chloromethyl-, Dodecyl-, 1-Octyl-, 2,3,4-Trichloro-phenyl-, 2,5-Dimethoxy-phenyl-, o-Tolyl-, p-xylyl-2-yl-, Benzoic-acid-3-yl-, 4-Chloro-3-(trifluoromethyl)-phenyl-, 4-Chloro-5-nitro-benzoic acid-3-yl-, 6-(p-toluidino)-naphth-2-yl-, 4-Methoxy-2,3,6-trimethylphenyl-, 3,4-Dichlorophenyl-, 4,5-Dibromo-thiophene-2-yl-, 3-Chloro-4-fluoro-phenyl-, 4-Ethyl-phenyl-, 4-n-Propyl-phenyl-, 4-(1,1-Dimethylpropyl)-phenyl-, 4-Isopropyl-phenyl-, 4-Bromo-2,5-difluoro-phenyl-, 2-Fluoro-phenyl-, 3-Fluoro-phenyl-, 4-(Trifluoromethoxy)-phenyl-, 4-(Trifluoromethyl)-phenyl-, 2,4-Difluoro-phenyl-, 2,4-Dichloro-5-methyl-phenyl-, 4-Chloro-2,5-dimethyl-phenyl-, 5-Diethylamino-napth-2-yl-, Benzoyl chloride-3-yl-, 2-Chloro-phenyl-, 1-Octadecyl-, 4-Bromo-2,5-dichloro-thiophene-3-yl-, 2,5-Dichloro-thiophene-3-yl-, 5-Chloro-thiophene-2-yl-, 2-Methyl-5-nitro-phenyl-, 2-(Trifluoromethyl)-phenyl-, 3-Chloro-phenyl-, 3,5-Dichloro-phenyl-, 1-Decyl-, 3-Methyl-phenyl-, 2-Chloro-6-methyl-, 5-Bromo-2-methoxy-phenyl-, 3,4-Dimethoxy-phenyl-, 2-3-Dichloro-phenyl-, 2-Bromo-phenyl-, 3,5-Dichloro-4-(2-chloro-4-nitrophenoxy)-phenyl-, 2,3-Dichloro-thiophene-5-yl-, 3-Bromo-2-chloro-thiophene-5-yl-, 3-Bromo-5-chloro-thiophene-2-yl-, 2-(Benzoylaminomethyl)-thiophene-5-yl-, 4-(Phenyl-sulphonyl)-thiophene-2-yl-, 2-Phenyl-sulphonyl-thiophene-5-yl-, 3-Chloro-2-methyl-phenyl-, 2-[1-Methyl-5-(trifluoromethyl)pyrazol-3-yl]-thiophene-5-yl-, 5-Pyrid-2-yl-thiophene-2-yl-, 2-Chloro-5-(trifluoromethyl)-phenyl-, 2,6-Dichloro-phenyl-, 3-Bromo-phenyl-, 2-(Trifluoromethoxy)-phenyl-, 4-Cyano-phenyl-, 2-Cyano-phenyl-, 4-n-Butoxy-phenyl-, 4-Acetamido-3-chloro-phenyl, 2,5-Dibromo-3,6-difluoro-phenyl-, 5-Chloro-1,3-dimethylpyrazole-4-yl-, 3,5-Dimethylisoxazole-4-yl-, 2-(2,4-Dichlorophenoxy)-phenyl-, 4-(2-Chloro-6-nitro-phenoxy)-phenyl-, 4-(3-Chloro-2-cyano-phenoxy)-phenyl-, 2,4-Dichloro-phenyl-, 2,4-Dimethyl-1,3-thiazole-5-yl-, Methyl-methane-sulfonyl-, 2,5-Bis-(2,2,2-Trifluoroethoxy)-phenyl-, 2-Chloro-4-(trifluoromethyl)-phenyl-, 2-Chloro-4-fluoro-phenyl-, 5-Fluoro-2-methyl-phenyl-, 5-Chloro-2-methoxy-phenyl-, 2,4,6-Trichloro-phenyl-, 2-Hydroxy-benzoic acid-5-yl-, 5-(Di-n-propylamino)-naphth-1-yl-, 6-Methoxy-m-tolyl-, 2,5-Difluoro-phenyl-, 2,4-Dimethoxy-phenyl-,

2,5-Dibromo-phenyl-, 3,4-Dibromo-phenyl-, 2,2,5,7,8-Pentamethyl-chroman-6-yl-, 2-Methoxy-benzoic-acid-5-yl-, 5-Chloro-4-nitro-thiophene-2-yl-, 2,1,3-Benzothiadiazole-4-yl-, 1-Methyl-imidazole-4-yl-, Benzofurazan-4-yl-, 2-(Methoxycarbonyl)-thiophene-3-yl-, 5-(Isoxazol-3-yl)-thiophene-2-yl-, 2,4,5-Trifluoro-phenyl-, Biphenyl-4-yl-, Vinyl-phenyl-4-yl-, 2-Nitro-benzyl-, 5-Dichloro-methyl-furan-2-yl-, 5-Bromo-thiophene-2-yl-, 5-(4-Chlorobenzamidomethyl)-thiophene-2-yl-, 2,6-Difluoro-phenyl-, 2,5-Dimethoxy-4-nitro-phenyl-, Dibenzo[b,d]-furan-2-yl-, 2,3,4-Trifluoro-phenyl-, 3-Nitro-p-tolyl-, 4-Methoxy-2-nitro-phenyl-, 3,4-Difluoro-phenyl-, 4-(Bromoethyl)-phenyl-, 3,5-Dichloro-4-hydroxy-phenyl-, 4-n-Amyl-phenyl-, 5-Chloro-3-methylbenzo[b]-thiophene-2-yl-, 3-Methoxy-4-(methoxycarbonyl)-thiophene-2-yl-, 4-n-Butyl-phenyl-, 2-Chloro-4-cyano-phenyl-, 5-[2-(Methylthio)-pyrimidin-4-yl-]-thiophene-2-yl-, 3,5-Dinitro-4-methoxy-phenyl-, 4-Bromo-2-(trifluoromethoxy)-phenyl-, 4-Chloro-2,1,3-Benzoxadiazole-7-yl-, 2-(1-Naphthyl)-ethyl-, 3-Cyano-phenyl-, 5-Chloro-2,1,3-Benzoxadiazole-4-yl-, 3-Chloro-4-methyl-phenyl-, 4-Bromo-2-ethyl-phenyl-, 2,4-Dichloro-6-methyl-phenyl-, 6-Chloro-Imidazo(2,1-B)-thiazole-5-yl-, 3-Methyl-benzo[b]-thiophene-2-yl-, 4-Methyl-sulphonyl-phenyl-, 2-Methyl-sulphonyl-phenyl-, 4-Bromo-2-methyl-phenyl-, 2,6-Dichloro-4-(trifluoromethyl)-phenyl-, 4-[[3-Chloro-5-(trifluoromethyl)-2-pyridinyl]oxy]-phenyl-, 5-Chloro-naphth-1-yl-, 5-Chloro-naphth-2-yl-, 9,10-Dibromoanthracene-2-yl-, Isoquinoline-5-yl-, 4-Methoxy-2,3,6-trimethyl-phenyl-, 4'-Nitro-biphenyl-4-yl-, [(4-Phenoxy)-phenyl-, (1,3-Dihydro-1-oxo-2H-isoindol-2-yl-)-4-phenyl-, 4-Acetyl-phenyl-, 5-(2-Methyl-1,3-thiazole-4-yl)-thiophene-2-yl-, 5-(1-Methyl-3-(trifluoromethyl)pyrazol-5-yl-]-thiophene-2-yl-, 5-[5-Trifluoromethyl)-isoxazol-3-yl]-thiophene-2-yl-, 2-Iodo-phenyl-, p-Dodecyl-phenyl-, 4-[(3-Cyano-4-methoxy-2-pyridinyl)oxy]-phenyl-, 4-(N-phthalimidinyl)-phenyl-, 1,2,3,4-Tetrahydro-2-(trifluoroacetyl)-isoquinoline-7-yl-, 4-Bromo-2-fluoro-phenyl-, 2-Fluoro-5-(trifluoromethyl)-phenyl-, 4-Fluoro-2-(trifluoromethyl)-phenyl-, 4-Fluoro-3-(trifluoromethyl)-phenyl-, 2,4,6-Trifluoro-phenyl-, 3-(Trifluoromethoxy)-phenyl-, 1,2-Dimethylimidazole-4-yl-, Ethyl-4-Carboxylate-3-yl-, 2,2,4,6,7-Pentamethyldihydrobenzofuran-5-yl-, 3-Bromo-2-chloropyridine-5-yl-, 3-Methoxy-phenyl-, 2-Methoxy-4-methyl-phenyl-, 2-Chloro-4-fluorobenzoic-acid-5-yl-, 4-Chloro-naphth-1-yl-, 2,5-Dichloro-4-nitro-thiophene-3-yl-, 4-(4-Methoxy-phenoxy)-phenyl-, 4-(4-Chloro-phenoxy)-

phenyl-, 4-(3,5-Dichloro-phenoxy)-phenyl-, 4-(3,4-Dichloro-phenoxy)-phenyl-, 4-(4-Fluoro-phenoxy)-phenyl-, 4-(4-Methyl-phenoxy)-phenyl-, 4-[4-(Trifluormethyl)-phenoxy-phenyl-, 4-[3,5-Bis-(trifluoromethyl)-phenoxy]-phenyl-, 3-(2-Methoxy-phenoxy)-phenyl-, [3-(2-Chloro-phenoxy)-phenyl-, 3-(2-Methyl-phenoxy)-phenyl-, 4-[2-(Trifluoromethyl)-phenoxy]-phenyl-, 3-Phenyl-phenyl-, 3-(4-Methoxy-phenyl)-phenyl-, 3-(4-Chloro-phenyl)-phenyl-, 3-(3,5-Dichloro-phenyl)-phenyl-, 3-(3,4-Dichloro-phenyl)-phenyl-, 3-(4-Fluorophenyl)-phenyl-, 3-(4-Methylphenyl)-phenyl-, 3-[4-(Trifluoromethyl)-phenyl]-phenyl-, 3-[3,5-Bis-(Trifluoromethyl)-phenyl]-phenyl-, 4-(4-Pyridyloxy)-phenyl)-, 4-(2-Methoxy-phenoxy)-phenyl-, 4-(2-Chloro-phenoxy)-phenyl-, 4-(2-Methyl-phenoxy)-phenyl-, 4-(4-Methoxy-phenoxy)-phenyl-, 4-(4-Chlorophenyl)-phenyl-, 4-(3,5-Dichlorophenyl)-phenyl-, 4-(3,4-Dichlorophenyl)-phenyl-, 4-(4-Fluorophenyl)-phenyl-, 4-(4-Methylphenyl)-phenyl-, 4-[4-(Trifluormethyl)-phenyl]-phenyl-, 4-[3,5-Bis-(Trifluoromethyl)-phenyl]-phenyl-, [3-(Trifluoromethyl)-phenyl]-methyl-, (4-Chlorophenyl)-methyl-, (3,5-Dichlorophenyl)-methyl-, (3,5-Dichlorophenyl)-methyl-, (4-Fluorophenyl)-methyl-, 4-Methylphenylmethyl-, [4-(Trifluoromethyl)-phenyl]-methyl-, Cyclopropyl-, 2-(2-Chlorophenyl)-2-Phenylethyl-, 2-(2-Trifluoromethylphenyl)-2-phenylethyl-, 5-[4-Cyano-1-methyl-5-(methylthio)-1H-pyrazol-3-yl-thiophene-2-yl-, 3-Cyano-2,4-bis-(2,2,2-Trifluorothoxy)-phenyl-, 4-[(2-Chloro-1,3-Thiazol-5-yl)-methoxy]-phenyl-, 3-Nitro-phenylmethyl-, 4-Formylphenyl-, 2-(1,3-Dioxo-1,3-dihydro-isoindol-2-yl)-ethyl-, [3,5-Bis-(Trifluoromethyl)-phenyl]-methyl-, (4-(2-Pyridyloxy)-phenyl)-, (4-(3-Pyridyloxy)-phenyl)-, 5-Iodo-naphth-1-yl-, Ethyl-2,5-dimethyl-1-phenylpyrrole-4-carboxylate-3-yl-, Ethyl-2-methyl-1,5-diphenyl-1H-pyrrole-3-carboxylate-4-yl-, Ethyl-5-(4-chlorophenyl)-2-methyl-3-furoate-4-yl, Ethyl-5-(4-chlorophenyl)-2-methyl-1-phenyl-3-carboxylate-4-yl-, Ethyl-2,5-dimethyl-3-furoate-4-yl-, 3-Chloro-4-(1,3-dioxo-2-Azaspiro[4,4]non-2-yl)-phenyl-, 5-Bromo-2,4-difluoro-phenyl-, 5-Chloro-2,4-difluorophenyl-, Coumarin-6-yl, 2-Methoxy-phenyl, (3-Phenoxy)-phenyl-, 3-(4-Methoxy-phenoxy)-phenyl-, 3-(4-Chlorophenoxy)-phenyl-, 3-(3,5-Dichlorophenoxy)-phenyl-, 3-(3,4-Dichlorophenoxy)-phenyl-, 3-(4-Fluorophenoxy)-phenyl-, 3-(4-Methylphenoxy)-phenyl-, 3-[4-(Trifluoromethyl)-phenoxy]-phenyl-, 3-[3,5-(Trifluoromethyl)-phenoxy]-phenyl-, 3-[2-(Trifluoromethyl)-phenoxy]-phenyl-, 2,2-Diphenylethyl-, 4-Phenyl-5-(trifluoromethyl)-thiophene-3-yl-, Methyl-4-Phenyl-5-(Trifluoromethyl)-

thiophene-2-carboxylate-3-yl-, Methyl-1,2,5-trimethylpyrrole-3-Carboxylate-4-yl-, 4-Fluoro-naphth-1-yl-, 3,5-Difluorophenyl-, 3-Fluoro-4-methoxy-phenyl-, 4-Chloro-2,5-difluorophenyl-, 2-Chloro-4,5-difluoro-phenyl-, 5-Fluoro-3-methylbenzo[b]-thiophene-2-yl-, Methyl-3-phenylpropionate-4-yl, Dihydrocinnamic Acid-4-yl-, Methyl-2,5-dimethyl-3-furoate-4-yl-, Methyl-2-furoate-5-yl-, Methyl-2-methyl-3-furoate-5-yl-, Methyl-1-methyl-1H-pyrrole-2-Carboxylate-5-yl-, 2-(5-Chloro-1,2,4-Thiadiazol-3-yl)-thiophene-5-yl-, 1,3,5-Trimethyl-1H-pyrazole-4-yl-, 3-Chloro-5-fluoro-2-methylphenyl-, Pentafluoroethoxytetrafluoroethyl-, 5-(5-Isoxazyl)-thiophene-2-yl-, 5-(5-Isoxazol-yl)-2-furyl-, 5-Methyl-2,1,3-benzothiadiazole-4-yl-, Biphenyl-2-yl-, 2,3-Dihydro-1,4-benzodioxine-6-yl-, 4-Methyl-Naphth-1-yl-, 5-Methyl-2-(Trifluormethyl)-3-Furyl-, 2,3-Dihydrobenzo[b]furan-5-yl-, 1-Benzothiophene-3-yl-, 4-Methyl-3,4-dihydro-2H-1,4-Benzoxazine-7-yl-, 5-Methyl-1-phenyl-1H-pyrazole-4-yl-, 6-Morpholino-3-Pyridinyl-, 4-(1H-Pyrazol-1-yl)-phenyl-, 6-Phenoxy-3-Pyridyl-, 3,4-Dihydro-2H-1,5-benzodioxepine-7-yl-, 5-(1,3-Oxazol-5-yl)-2-thienyl-, 4-(1,3-Oxazol-5-yl)-phenyl-, 5-Methyl-4-isoxazolyl, 2,1,3-Benzothiadiazole-5-yl-, 3-Thienyl-, 2-Methyl-benzyl-, 3-Chloro-benzyl-, 5-Acetamido-naphth-1-yl-, 3-Methyl-8-Quinolinyl-, 4-Chloro-2-nitrophenyl-, 6-Quinolinyl-, 1,3-Benzothiazole-6-yl-, 2-Morpholino-3-Pyridyl-, 2,5-Dimethyl-3-thienyl-, 5-[5-(Chloromethyl)-1,2,4-oxadiazol-3-yl]-2-thienyl-, Ethyl-3-[5-yl-2-thienyl-]1,2,4-oxadiazole-5-carboxylate-, 3-(5-Methyl-1,3,4-oxadiazol-2-yl)-phenyl-, 4-Isopropoxyphenyl-, 2,4-Dibromophenyl-, 3-Cyano-4-fluorophenyl-, 2,5-Bis-(Trifluoromethyl)-phenyl, 2-Bromo-4-fluorophenyl-, 4-Bromo-3-fluorophenyl-, 4-(Difluoromethoxy)-phenyl-, 3-(Difluoromethoxy)-phenyl-, 5-Chloro-2-fluoro-phenyl-, 3-Chloro-2-fluorophenyl-, 2-Fluoro-4-methylphenyl-, 4 Nitro-3-(trifluoromethyl)-phenyl-, 3-Fluoro-4-methylphenyl-, 4-Fluoro-2-methylphenyl-, 4-Bromo-3-(tifluoromethyl)-phenyl-, 4-Bromo-2-(trifluoromethyl)-phenyl-, 3-Bromo-5-(trifluoromethyl)-phenyl-, 2-Bromo-4-(trifluoromethyl)-phenyl-, 2-Bromo-5-(trifluoromethyl)-phenyl-, 2,4-Dichloro-5-fluorophenyl-, 4,5-Dichloro-2-fluorophenyl-, 3,4,5-Trifluorophenyl-, 4-Chloro-2-fluorophenyl-, 2-Bromo-4,6-Difluorophenyl-, 2-Ethylphenyl-, 4-Bromo-2-chlorophenyl-, 4-Bromo-2,6-dichlorophenyl-, 2-Bromo-4,6-dichloro-phenyl-, 4-Bromo-2,6-dimethylphenyl-, 3,5-Dimethylphenyl-, 4-Bromo-3-methylphenyl-, 2-Methoxy-4-nitrophenyl-, 2,2-Dimethyl-6-Chromanyl-, Ethyl-3,5-dimethyl-1H-

pyrrole-2-carboxylate-4-yl-, Imidazo[1,2-A]pyridine-3-yl-, 3-(1,3-Oxazol-5-yl)-phenyl-, Ethyl-5-[4-yl)-phenyl]-2-methyl-3-furoate, Methyl-3-(yl)-4-methoxybenzoate, 1-Pyrrolidinylphenylsulfonyl-, Methyl-5-yl-4-methyl-2-thiophene-carboxylate, Methyl-3-yl-4-(isopropylsulfonyl)-2-thiophene, 2-Pyridyl-, 3-Fluoro-4-nitrophenyl-, 7-Chlorochromone-3-yl-, 4'-Bromobiphenyl-4-yl-, 4'-Acetyl-biphenyl-4-yl-, 4'-Bromo-2'-fluoro-biphenyl-4-yl-, 2-Chloro-4-(3-propyl-Ureido)-phenyl-, 3-(-Bromoacetyl)-phenyl-, 2-Bromo-3-(trifluoromethyl)-phenyl-, 1-Methyl-5-isatinyl-, 4-Isopropyl-benzoic-acid-3-yl-, 2-Chloro-3-thiophenecarboxylic-acid-5-yl-, 3-Pyridyl-, Cyclohexylmethyl-, 2-Methoxy-5-(N-phthalimidinyl)-phenyl-, 1-Benzothiophene-2-yl-, Morpholinophenylsulfonyl-, 3-(2-Methyl-4-pyrimidinyl)-phenyl-, and 2-Cyano-5-methylphenyl-.

26. Use according to any one of claims 21 to 25, characterized in that R^{10a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6}-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably H, a linear or branched C_{1-4}-alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably H, $-CH_3$, $-C_2H_5$ or phenyl.

27. Use according to any one of claims 21 to 26, characterized in that R^{11a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6}-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-

membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably H, a linear or branched C_{1-4}-alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably H, $-CH_3$, $-C_2H_5$ or phenyl.

28. Use according to any one of claims 21 to 27, characterized in that R^{12a} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6}-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6- membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably represents H, a linear or branched C_{1-4}-alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably H, $-CH_3$, $-C_2H_5$ or phenyl.

29. Use according to any one of claims 21 to 28, characterized in that R^{13a} and R^{14a} are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6}-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably are each independently selected from the group consisting of H, a linear or branched C_{1-4}-alkyl radical.

cyclohexyl and a phenyl radical, more preferably are each independently selected from the group consisting of H, -CH_3, -C_2H_5 and phenyl.

30. Use according to any one of claims 21 to 29, characterized in that R^{13a} and R^{14a} together with the bridging nitrogen atom form a saturated, unsaturated or aromatic, 5- or 6-membered heterocyclic ring, which may be at least mono-substituted and/or contain at least one further heteroatom as a ring member, preferably form an unsubstituted piperidin or morpholine group.

31. Use according to any one of claims 21 to 30, characterized in that R^{15a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6}-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical or an optionally at least mono-substituted, 5- or 6- membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably represents H, a linear or branched C_{1-4}-alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably represents H, -CH_3, -C_2H_5 or phenyl.

32. Use according to any one of claims 21 to 31, characterized in that R^{16a} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} aliphatic radical, preferably an unbranched or branched, saturated, unsubstituted C_{1-3} alkyl radical, more preferably a methyl radical.

33. Use according to any one of claims 21 to 32 characterized in that R^{17a} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} aliphatic radical, preferably an unbranched or branched, saturated, unsubstituted C_{1-3} alkyl radical, more preferably a methyl radical.

34. Use according to any one of claims 21 to 33, characterized in that one or more benzoxazinone-derived sulfonamide compounds of general formula (Ia) are selected from the group consisting of:

1-[1-(Naphthyl-1-sulfonyl)-piperidine-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-(1-Phenylsulfonyl-piperidine-4-yl]-1,4-dihydro-benzo[d][1,3]-oxazin-2-one,

1-[1-(5-Chloro-3-methyl-benzo[b]thiophenyl-2-sulfonyl)-piperidine-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

8-Methyl-1-[1-naphthyl-1-sulfonyl)-piperidine-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

8-Methyl-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(5-Dimethylamino-naphthyl-1-sulfonyl)-piperidine-4-yl]-8-methyl-1,4-dihydrobenzo[d][1,3]oxazin-2-one,

1-[1-(5-Dimethylamino-naphthyl-1-sulfonyl)-piperidine-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(2,3-Dichloro-phenylsulfonyl)-piperidine-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(2,3-Dichloro-phenylsulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one, and

corresponding salts thereof, or corresponding solvates thereof.

35. Use according to any one of claims 21-34 for the regulation of appetite.

36. Use according to any one of claims 21-34 for the reduction, increase or maintenance of body weight.

37. Use according to any one of claims 21-34 for the prophylaxis and/or treatment of obesity.

38. Use according to any one of claims 21-34 for the prophylaxis and/or treatment of bulimia.

39. Use according to any one of claims 21-34 for the prophylaxis and/or treatment of anorexia.

40. Use according to any one of claims 21-34 for the prophylaxis and/or treatment of cachexia.

41. Use according to any one of claims 21-34 for the prophylaxis and/or treatment of type II diabetes.

42. Benzoxazinone-derived sulfonamide compounds of general formula (Ib),



(Ib)

wherein

R^{1b}, R^{2b}, R^{3b}, R^{4b} are each independently selected from the group consisting of hydrogen, halogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ringsystem, a nitro group, a cyano group, $-OR^{10b}$, $-OC(=O)R^{11b}$, $-(C=O)-OR^{11b}$, $-SR^{12b}$, $-SOR^{12b}$, $-SO_2R^{12b}$, $-NH-SO_2R^{12b}$, $-SO_2NH_2$ and a $-NR^{13b}R^{14b}$ moiety,

R^{5b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical or a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical,

R^{6b}, R^{7b}, R^{8b}, R^{9b} are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, a cyano group and a $-COOR^{15b}$ moiety,

W^b represents an unbranched or branched, saturated or unsaturated, aliphatic radical, which may be substituted by one or more substituents selected from the group consisting of hydroxy, halogen, branched or unbranched C_{1-4}-alkoxy, branched or unbranched C_{1-4}-perfluoroalkoxy, branched or unbranched C_{1-4}-perfluoroalkyl, amino, carboxy, amido, cyano, nitro, $-SO_2NH_2$, $-CO-C_{1-4}$-alkyl, $-SO-C_{1-4}$-alkyl, $-SO_2-C_{1-4}$-alkyl, $-NH-SO_2-C_{1-4}$-alkyl , wherein the C_{1-4}-alkyl may in each case be branched or unbranched, an unsubstituted or at least mono-substituted phenyl or naphthyl radical and an unsubstituted or at least mono-substituted furanyl-, thienyl-, pyrrolyl-, imidazolyl-, pyrazolyl-, pyridinyl-, pyrimidinyl-, quinolinyl- and isoquinolinyl radical,
whereby said substituents may be at least mono-substituted with F, Cl, methyl and methoxy,

a saturated or unsaturated, optionally at least one heteroatom as ring member containing cycloaliphatic radical,
whereby said cycloaliphatic radical may be substituted by one or more substituents selected from the group selected from the group consisting of hydroxy, nitro, carboxy, cyano, keto, halogen, C_{1-20}-alkyl, partially fluorinated C_{1-4} alkyl, partially chlorinated C_{1-4} alkyl, partially brominated C_{1-4} alkyl, C_{1-5}-alkoxy, partially fluorinated C_{1-4} alkoxy, partially chlorinated C_{1-4} alkoxy, partially brominated C_{1-4} alkoxy, C_{2-6}-alkenyl, SO_2-C_{1-4}-alkyl, $-(C=O)-C_{1-5}$-alkyl, $-(C=O)-O-C_{1-5}$-alkyl, -(C=O)-Cl, $-S-C_{1-4}$-alkyl-, -(C=O)-H, $-NH-(C=O)-NH-C_{1-5}$-alkyl, $-(C=O)-C_{1-4}$-perfluoroalkyl, $-NR^AR^B$, wherein R^A and R^B are

independently selected from the group consisting of H, C_{1-4}-alkyl and phenyl, NH-(C=O)-C_{1-5}-alkyl, -C_{1-5}-alkylen-(C=O)-C_{1-5}-alkyl, (1,3-Dihydro-1-oxo-2H-isoindol-2-yl), N-Phthalimidinyl-, (1,3-Dioxo-2-azaspiro[4,4]-non-2-yl, substituted or unsubstituted phenyl, -SO_2-phenyl, phenoxy, pyridinyl, pyridinyloxy, pyrazolyl, pyrimidinyl, pyrrolidinyl-, -SO_2-pyrrolidinyl, morpholinyl, SO_2-morpholinyl-, thiadiazolyl, oxadiazolyl, oxazolyl, thiazolyl, isoxazolyl, O-CH_2-thiazolyl, -NH-phenyl, and -C_{1-4}-Alkylen-NH-(C=O)-phenyl, whereby said substituents may be substituted by one or more substituents selected from the group consisting of halogen, nitro, cyano, hydroxy, -(C=O)-C_{1-4}-alkyl, C_{1-4}-alkyl, at least partially fluorinated C_{1-4}-alkyl, at least partially chlorinated C_{1-4}-alkyl, at least partially brominated C_{1-4}-alkyl, -S-C_{1-4}-alkyl, -C(=O)-O-C_{1-5}-alkyl, -(C=O)-CH_2-F, -(C=O)-CH_2-Cl and -(C=O)-CH_2-Br, and whereby said cycloaliphatic radical may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted aromatic mono- or polycyclic ring-system,

an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, a $NR^{16b}R^{17b}$-moiety or a COR^{18b}-moiety,

R^{10b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{11b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{12b} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{13b} and R^{14b} each are independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

or R^{13b} and R^{14b} together with the bridging nitrogen atom form a saturated, unsaturated or aromatic heterocyclic ring, which may be at least mono-substituted and/or contain at least one further heteroatom as a ring member,

R^{15b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{16b} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical,

R^{17b} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical,

R^{18b} represents an optionally at least mono-subsituted aryl radical,

optionally in form of one of its stereoisomers, preferably enantiomers or diastereomers, its racemate or in form of a mixture of at least two of its stereoisomers, preferably enantiomers or diastereomers, in any mixing ratio, or a physiologically acceptable salt thereof, or a solvate, respectively.

43. Compounds according to claim 42, characterized in that R^{1b}, R^{2b}, R^{3b}, R^{4b} are each independently selected from the group consisting of H, F, Cl, Br, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6}-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl

radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ringsystem, a nitro group, a cyano group, -OR^{10b}, -$OC(=O)R^{11b}$, -SR^{12b}, -SOR^{12b}, -SO_2R^{12b}, -NH-SO_2R^{12b}, -SO_2NH_2 and a -$NR^{13b}R^{14b}$ moiety, preferably selected from the group consisting of H, F, Cl, Br, a saturated, branched or unbranched, optionally at least mono-substituted C_{1-3}-aliphatic radical, a saturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_5- or C_6-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_1- or C_2-alkylene group, a nitro group, a cyano group, -OR^{10b}, -$OC(=O)R^{11b}$, -SR^{12b} and -$NR^{13b}R^{14b}$ moiety, more preferably selected from the group consisting of H, F, Cl, Br, -CH_3, -CH_2CH_3, -CF_3, -CF_2CF_3, cyclopentyl, cyclohexyl, nitro, cyano and -OR^{10b}.

44. Compounds according to claim 42 or 43, characterized in that R^{5b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6}-aliphatic radical or a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical, preferably represents H or a branched or unbranched C_{1-3}-alkyl radical, more preferably H, -CH_3 or -CH_2CH_3, most preferably a hydrogen atom.

45. Compounds according to any one of claims 42 to 44, characterized in that R^{6b}, R^{7b}, R^{8b}, R^{9b} are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6}-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical, a cyano group and a -$COOR^{15b}$ moiety, preferably selected from the group consisting of H, a branched or unbranched C_{1-3}-alkyl radical, a cyano group and a $COOR^{15b}$ group, more preferably from the group consisting of H, -CH_3, -CH_2CH_3 and a cyano moiety, most preferably each of R^{6b}, R^{7b}, R^{8b} and R^{9b} represent a hydrogen atom.

46. Compounds according to any one of claims 42 to 45, characterized in that W^b represents an unbranched or branched, saturated or unsaturated, C_{1-20} aliphatic radical, which may be substituted by one or more substituents selected from the group consisting of hydroxy, halogen, branched or unbranched C_{1-4}-alkoxy, branched or unbranched C_{1-4}-perfluoroalkoxy, branched or unbranched C_{1-4}-perfluoroalkyl, amino, carboxy, amido, cyano, nitro, $-SO_2NH_2$, $-CO-C_{1-4}$-alkyl, $-SO-C_{1-4}$-alkyl, $-SO_2-C_{1-4}$-alkyl, $-NH-SO_2-C_{1-4}$-alkyl , wherein the C_{1-4}-alkyl may in each case be branched or unbranched, an unsubstituted or at least mono-substituted phenyl or naphthyl radical and an unsubstituted or at least mono-substituted furanyl-, thienyl-, pyrrolyl-, imidazolyl-, pyrazolyl-, pyridinyl-, pyrimidinyl-, quinolinyl- and isoquinolinyl radical, whereby said substituents may be at least mono-substituted with F, Cl, methyl and methoxy; a saturated or unsaturated, optionally at least one heteroatom as ring member containing C_{3-8} cycloaliphatic radical, whereby said C_{3-8} cycloaliphatic radical may be substituted by one or more substituents selected from the group selected from the group consisting of hydroxy, nitro, carboxy, cyano, keto, halogen, C_{1-20}-alkyl, partially fluorinated C_{1-4} alkyl, partially chlorinated C_{1-4} alkyl, partially brominated C_{1-4} alkyl, C_{1-5}-alkoxy, partially fluorinated C_{1-4} alkoxy, partially chlorinated C_{1-4} alkoxy, partially brominated C_{1-4} alkoxy, C_{2-6}-alkenyl, SO_2-C_{1-4}-alkyl, $-(C=O)-C_{1-5}$-alkyl, $-(C=O)-O-C_{1-5}$-alkyl, $-(C=O)-Cl$, $-S-C_{1-4}$-alkyl-, $-(C=O)-H$, $-NH-(C=O)-NH-C_{1-5}$-alkyl, $-(C=O)-C_{1-4}$-perfluoroalkyl, $-NR^AR^B$, wherein R^A and R^B are independently selected from the group consisting of H, C_{1-4}-alkyl and phenyl, $NH-(C=O)-C_{1-5}$-alkyl, $-C_{1-5}$-alkylen-$(C=O)-C_{1-5}$-alkyl, (1,3-Dihydro-1-oxo-2H-isoindol-2-yl), N-Phthalimidinyl-, (1,3-Dioxo-2-azaspiro[4,4]-non-2-yl, substituted or unsubstituted phenyl, $-SO_2$-phenyl, phenoxy, pyridinyl, pyridinyloxy, pyrazolyl, pyrimidinyl, pyrrolidinyl-, $-SO_2$-pyrrolidinyl, morpholinyl, SO_2-morpholinyl-, thiadiazolyl, oxadiazolyl, oxazolyl, thiazolyl, isoxazolyl, O-CH_2-thiazolyl, -NH-phenyl, and $-C_{1-4}$-Alkylen-NH-(C=O)-phenyl, whereby said substituents may be substituted by one or more substituents selected from the group consisting of halogen, nitro, cyano, hydroxy, $-(C=O)-C_{1-4}$-alkyl, C_{1-4}-alkyl, at least partially fluorinated C_{1-4}-alkyl, at least partially chlorinated C_{1-4}-alkyl, at least partially brominated C_{1-4}-alkyl, $-S-C_{1-4}$-alkyl, $-C(=O)-O-C_{1-6}$-alkyl, $-(C=O)-CH_2-F$, $-(C=O)-CH_2-Cl$ and $-(C=O)-CH_2-Br$,

and whereby said C_{3-8} cycloaliphatic radical may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted aromatic mono- or polycyclic ring-system,

an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, a $NR^{16b}R^{17b}$-moiety or a COR^{18b}-moiety,

preferably W^b represents

a linear or branched C_{1-20}-alkyl radical, preferably an alkyl radical selected from the group consisting of methyl, ethyl, n-propyl, iso-propyl, n-butyl, iso-butyl, sec-butyl, tert-butyl and 1,1-dimethyl-propyl; a linear or branched C_{2-20}-alkenyl radical; preferably a vinyl radical; $-CF_3$; $-CHF_2$; $-CH_2F$; $-CCl_3$; $-CHCl_2$; $-CH_2Cl$; $-CH_2-CF_3$; $-CH_2-CH_2-Cl$; $-CH_2-CH_2-CH_2-Cl$; $-CH_2-S(=O)_2-CH_3$; a cyclopropyl radical; a cyclobutyl radical; a cyclopentyl radical; a cyclohexyl radical; $-CH_2$-cyclopropyl; $-CH_2$-cyclobutyl; $-CH_2$-cyclopentyl; $-CH_2$-cyclohexyl; $-N(CH_3)_2$; $-N(C_2H_5)_2$; $-N(n\text{-}CH_2\text{-}CH_2\text{-}CH_3)_2$; phenyl; benzyl; naphthyl; -CH=CH-phenyl; $-(CF_2)-(CF_2)$-O-phenyl; $-(CH_2)$-naphtyl; $-(CH_2)-(CH_2)$-naphthyl; anthracenyl; -(C=O)-phenyl; thiophenyl; benzo[b]thiophenyl; furanyl; 2-oxo-2H-chromenyl; dibenzofuranyl; 2,3-dihydrobenzofuranyl; chromanyl; 2,3-dihydro-benzo[1,4]dioxinyl; 3,4-dihydro-2H-1,5-benzo-dioxepinyl; chromonyl; 1H-imidazolyl; pyridinyl; pyrrolidine-2,5-dionyl; pyrrolyl; 1H-pyrazolyl; 1H-pyrimidine-2,4-dionyl; quinolinyl; isoquinolinyl; 1H-Benzoimidazolyl; 1,4-dihydro-quinoxaline-2,3-dionyl; 1,2,3,4-tetrahydro-isoquinolinyl; 1,4-dihydro-benzo[b][1,4]diazepine-2,4-dionyl; 1,3-dihydro-1-oxo-2H-isoindolyl; phthalimidinyl; 2-(1,3-dioxo-1,3-dihydro-isoindol-2-yl)-ethyl; imidazo[1,2-a]pyridine; isatinyl; thiazolyl; 1,3-thiazolyl; 1,2,4-thiadiazolyl; imidazo[2,1-b]thiazolyl; 1,3-benzothiazolyl; benzo[1,2,5]thiadiazolyl; 2-oxo-2,3-dihydro-benzothiazolyl; 2,1,3-benzothiadiazolyl; imidazo[2,1-b]thiazolyl; isoxazolyl; benzo[1,2,5]oxadiazolyl; benzo[d]isoxazolyl; benzofurazanyl;

2-oxo-2,3-dihydro-benzooxazolyl; 3,4-dihydro-2H-benzo[1,4]oxazinyl; or 2,1,3-benzoxadiazolyl;

whereby each of these afore mentioned cyclic moieties may optionally be substituted with 1, 2, 3, 4 or 5 substituents independently selected from the group consisting of methyl; ethyl; n-propyl; iso-propyl; n-butyl; iso-butyl; sec-butyl; tert-butyl; 1,1-dimethyl-propyl; n-pentyl; vinyl; cyclopropyl; cyclobutyl; cyclopentyl; cyclohexyl; morpholino; methoxy; ethoxy; n-propoxy; iso-propoxy; n-propoxy; F; Cl; Br; I; -CN; -OH; $-CF_3$; $-CF_2H$; $-CH_2F$; $-CCl_3$; $-CClH_2$; $-CHCl_2$; $-CH_2-F$; $-CH_2-Cl$;$-CH_2-Br$; $-(C=O)-CH_2-Br$; $-OCF_3$; $-O-CH_2-CF_3$; $-O-CHF_2$; $-NO_2$; $-NH_2$; $-N(CH_3)_2$; $-N(C_2H_5)_2$; $-N(n-CH_2-CH_2-CH_3)_2$; $-N(n-CH_2-CH_2-CH_2-CH_3)_2$;$-NH-(C=O)-CH_3$; -NH-phenyl; $-(C=O)-CF_3$; $-(C=O)-OH$; =O (oxo); $-(C=O)-H$; $-S(=O)_2-CH_3$; $-S(=O)_2$-isopropyl; $-S(=O)_2$-phenyl; $-S(=O)_2$-pyrrolidinyl; $-S(=O)_2$-morpholino; $-(CH_2)-(CH_2)-(C=O)-O-CH_3$; $-NH-(C=O)-NH-CH_2-CH_2-CH_3$; $-(C=O)-CH_3$; $-(C=O)-O-CH_3$; $-(C=O)-O-C_2H_5$; $-(CH_2)-NH-(C=O)$-phenyl; $-CH_2-C(H)$(phenyl)(phenyl); $-O-CH_2$-thiazolyl; 1,3-dioxo-2-azaspiro[4.4]non-2-yl; phenyl; phenoxy; isoxazolyl; 1,3-oxazolyl; 1,2,4-oxadiazolyl; 1,3,4-oxadiazolyl; pyridinyl; pyridinyloxy; pyrazolyl; pyrimidinyl and phthalimidinyl; and

whereby each of the cyclic moieties of these afore mentioned substituents may optionally be substituted with 1, 2, 3, 4 or 5 substituents independently selected from the group consisting of methyl; ethyl; n-propyl; iso-propyl; F; Cl; Br; I; CN; $-CH_2-F$; $-CH_2-Cl$; $-CH_2-Br$; $-CF_3$ and $-S-CH_3$,

more preferably W^b represents

an alkyl radical selected from the group consisting of methyl; ethyl; n-propyl; iso-propyl; n-butyl; sec.butyl; iso-butyl and tert-butyl; vinyl ($CH_2=CH-$); $-N(CH_3)_2$; 1-naphthyl; benzyl; 2-naphtyl; phenyl; 2-methyl-phenyl; 3-methyl-phenyl; 4-methyl-phenyl; 2-ethyl-phenyl; 3-ethyl-phenyl; 4-ethyl-phenyl; 2-n-propyl-phenyl; 3-n-propyl-phenyl; 4-n-propyl-phenyl; 2-isopropyl-phenyl; 3-

isopropyl-phenyl; 4-isopropyl-phenyl; 2-n-butyl-phenyl; 3-n-butyl-phenyl; 4-n-butyl-phenyl; 2-iso-butyl-phenyl; 3-iso-butyl-phenyl; 4-iso-butyl-phenyl; 2-tert-butyl-phenyl; 3-tert-butyl-phenyl; 4-tert-butyl-phenyl; 1,1-dimethylpropyl-phenyl; 2-cyclopentyl-phenyl; 3-cyclopentyl-phenyl; 4-cyclopentyl-phenyl 2-cyclohexyl-phenyl; 3-cyclohexyl-phenyl; 4-cyclohexyl-phenyl; 2-methoxy-phenyl; 3-methoxy-phenyl; 4-methoxy-phenyl; 2-ethoxy-phenyl; 3-ethoxy-phenyl; 4-ethoxy-phenyl; 2-n-propoxy-phenyl; 3-n-propoxy-phenyl; 4-n-propoxy-phenyl; 2-iso-propoxy-phenyl; 3-iso-propoxy-phenyl; 4-isopropoxy-phenyl;2-fluoro-phenyl; 3-fluoro-phenyl; 4-fluoro-phenyl; 2-chloro-phenyl; 3-chloro-phenyl; 4-chloro-phenyl; 2-bromo-phenyl; 3-bromo-phenyl; 4-bromo-phenyl; 2-trifluoromethyl-phenyl; 3-trifluoromethyl-phenyl; 4-trifluoromethyl-phenyl; 2-trifluoromethoxy-phenyl; 3-trifluoromethoxy-phenyl; 4-trifluoromethoxy-phenyl; 2-carboxy-phenyl; 3-carboxy-phenyl; 4-carboxy-phenyl; 2-acetyl-phenyl; 3-acetyl-phenyl; 4-acetyl-phenyl; 2-(C=O)-O-CH_3-phenyl; 3-(C=O)-O-CH_3-phenyl; 4-(C=O)-O-CH_3-phenyl; 2-(CH_2)-(CH_2)-(C=O)-O-CH_3; 3-(CH_2)-(CH_2)-(C=O)-O-CH_3; 4-(CH_2)-(CH_2)-(C=O)-O-CH_3; 2-cyano-phenyl; 3-cyano-phenyl; 4-cyano-phenyl; 2-nitro-phenyl; 3-nitro-phenyl; 4-nitro-phenyl; 4-(4-bromophenoxy)-phenyl; 2-methylsulfonyl-phenyl; 3-methylsulfonyl-phenyl; 4-methylsulfonyl-phenyl; 2-phenyl-phenyl (biphenyl-2-yl); 3-phenyl-phenyl (biphenyl-3-yl); 4-phenyl-phenyl (biphenyl-4-yl); 2-phenoxy-phenyl; 3-phenoxy-phenyl; 4-phenoxy-phenyl; 2,4-dimethyl-phenyl; 3,4-dimethyl-phenyl; 2,4,6-trimethyl-phenyl; 2,3,5,6-tetramethyl-phenyl; pentamethyl-phenyl; 2,5-dimethoxy-phenyl; 3,4-dimethoxy-phenyl; 2,3-dichloro-phenyl; 2,4-dichloro-phenyl; 2,5-dichloro-phenyl; 3,4-dichloro-phenyl; 3,5-dichloro-phenyl; 2,6-dichloro-phenyl; 2,4-difluoro-phenyl; 3,4-difluoro-phenyl; 2,5-difluoro-phenyl; 2,6-difluoro-phenyl; 3-chloro-2-fluoro-phenyl; 3-chloro-4-fluoro-phenyl; 5-chloro-2-fluoro-phenyl; 2,3,4-trichloro-phenyl; 2,4,5-trichloro-phenyl; 2,4,6-trichloro-phenyl; 2,4,5-trifluoro-phenyl; 2,3,4-trifluoro-phenyl-; 2-chloro-4,5-difluoro-phenyl; 2-bromo-4-fluoro-phenyl; 2-bromo-4,6-difluoro-phenyl; 4-chloro-2,5-difluoro-phenyl; 5-chloro-2,4-difluoro-phenyl; 4-bromo-2,5-difluoro-phenyl; 5-bromo-2,4-difluoro-phenyl; pentafluoro-phenyl; 2,4-dinitro-phenyl; 4-chloro-3-nitro-phenyl; 2-methyl-5-nitro-phenyl; 5-bromo-2-methoxy-phenyl; 3-chloro-2-methyl-phenyl; 4-bromo-3-methyl-phenyl; 4-chloro-2,5-dimethyl-phenyl; 4-fluoro-3-methyl-phenyl; 5-fluoro-2-methyl-

PCT/EP 2004/008507

phenyl; 2-nitro-4-trifluoromethyl-phenyl; 2-methoxy-4-methyl-phenyl; 3,5-dichloro-2-hydroxy-phenyl; 3,5-dichloro-4-hydroxy-phenyl; 5-chloro-2,4-difluoro-phenyl; 3-chloro-4-(NH)-(C=O)-CH_3-phenyl; 2-chloro-6-methyl-phenyl; 2-chloro-5-trifluoromethyl-phenyl; 2-chloro-5-trifluoromethoxy-phenyl; 4-bromo-2-trifluoromethoxy-phenyl; 4-bromo-2-trifluoromethyl-phenyl; 4-bromo-3-trifluoromethyl-phenyl; 3-carboxy-4-fluoro-phenyl; 3-carboxy-4-chloro-6-fluoro-phenyl; 4-methoxy-2,3,6-trimethyl-phenyl-; or one of the following groups:



PCT/EP 2004/008507



5

PCT/EP 2004/008507



5

10

PCT/EP 2004/008507



PCT/EP 2004/008507



whereby in each case X denotes the position by which the respective substituent W^b is bonded to the $-SO_2$ group of formula (Ib).

47. Compounds according to any one of claims 42 to 46, characterized in that R^{10b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6}-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably H, a linear or branched C_{1-4}-alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably H, $-CH_3$, $-C_2H_5$ or phenyl.

48. Compounds according to any one of claims 42 to 47, characterized in that R^{11b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6}-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably H, a linear or branched C_{1-4}-alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably H, $-CH_3$, $-C_2H_5$ or phenyl.

49. Compounds according to any one of claims 42 to 48, characterized in that R^{12b} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6}-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be

condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6- membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably represents H, a linear or branched C_{1-4}-alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably H, $-CH_3$, $-C_2H_5$ or phenyl.

50. Compounds according to any one of claims 42 to 49, characterized in that R^{13b} and R^{14b} are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6}-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably are each independently selected from the group consisting of H, a linear or branched C_{1-4}-alkyl radical, cyclohexyl and a phenyl radical, more preferably are each independently selected from the group consisting of H, $-CH_3$, $-C_2H_5$ and phenyl.

51. Compounds according to any one of claims 42 to 50, characterized in that R^{13b} and R^{14b} together with the bridging nitrogen atom form a saturated, unsaturated or aromatic, 5- or 6-membered heterocyclic ring, which may be at least mono-substituted and/or contain at least one further heteroatom as a ring member, preferably form an unsubstituted piperidin or morpholine group.

52. Compounds according to any one of claims 42 to 51, characterized in that R^{15b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6}-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8}-cycloaliphatic radical or an optionally at least mono-substituted, 5- or 6- membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6}-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably represents H, a linear or branched C_{1-4}-alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably represents H, $-CH_3$, $-C_2H_5$ or phenyl.

53. Compounds according to any one of claims 42 to 52, characterized in that R^{16b} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} aliphatic radical, preferably an unbranched or branched, saturated, unsubstituted C_{1-3} alkyl radical, more preferably a methyl radical.

54. Compounds according to any one of claims 42 to 53 characterized in that R^{17b} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} aliphatic radical, preferably an unbranched or branched, saturated, unsubstituted C_{1-3} alkyl radical, more preferably a methyl radical.

55. Compounds according to any one of claims 42 to 54 characterized in that R^{18b} represents a phenyl radical, which is optionally at least mono-substituted by a C_{1-6} aliphatic radical, more preferably a phenyl radical, which is optionally at least mono-substituted by a methyl group.

56. Compounds according to any one of claims 42 to 55, characterized in that

R^{1b}, R^{2b}, R^{3b}, R^{4b} are each independently selected from the group consisting of a hydrogen atom; a fluorine atom; a chlorine atom; a bromine atom; a methyl group and a methoxy group;

R^{5b} represents a hydrogen atom;

R^{6b}, R^{7b}, R^{8b}, R^{9b} each represent a hydrogen atom;

W^b represents

an alkyl radical selected from the group consisting of methyl; ethyl; n-propyl; iso-propyl; n-butyl; sec.butyl; iso-butyl and tert-butyl; vinyl (CH_2=CH-); -$N(CH_3)_2$; 1-naphthyl; benzyl; 2-naphtyl; phenyl; 2-methyl-phenyl; 3-methyl-phenyl; 4-methyl-phenyl; 2-ethyl-phenyl; 3-ethyl-phenyl; 4-ethyl-phenyl; 2-n-propyl-phenyl; 3-n-propyl-phenyl; 4-n-propyl-phenyl; 2-isopropyl-phenyl; 3-isopropyl-phenyl; 4-isopropyl-phenyl; 2-n-butyl-phenyl; 3-n-butyl-phenyl; 4-n-butyl-phenyl; 2-iso-butyl-phenyl; 3-iso-butyl-phenyl; 4-iso-butyl-phenyl; 2-tert-butyl-phenyl; 3-tert-butyl-phenyl; 4-tert-butyl-phenyl; 1,1-dimethylpropyl-phenyl; 2-cyclopentyl-phenyl; 3-cyclopentyl-phenyl; 4-cyclopentyl-phenyl 2-cyclohexyl-phenyl; 3-cyclohexyl-phenyl; 4-cyclohexyl-phenyl; 2-methoxy-phenyl; 3-methoxy-phenyl; 4-methoxy-phenyl; 2-ethoxy-phenyl; 3-ethoxy-phenyl; 4-ethoxy-phenyl; 2-n-propoxy-phenyl; 3-n-propoxy-phenyl; 4-n-propoxy-phenyl; 2-iso-propoxy-phenyl; 3-iso-propoxy-phenyl; 4-isopropoxy-phenyl;2-fluoro-phenyl; 3-fluoro-phenyl; 4-fluoro-phenyl; 2-chloro-phenyl; 3-chloro-phenyl; 4-chloro-phenyl; 2-bromo-phenyl; 3-bromo-phenyl; 4-bromo-phenyl; 2-trifluoromethyl-phenyl; 3-trifluoromethyl-phenyl; 4-trifluoromethyl-phenyl; 2-trifluoromethoxy-phenyl; 3-trifluoromethoxy-phenyl; 4-trifluoromethoxy-phenyl; 2-carboxy-phenyl; 3-carboxy-phenyl; 4-carboxy-phenyl; 2-acetyl-phenyl; 3-acetyl-phenyl; 4-acetyl-phenyl; 2-(C=O)-O-CH_3-phenyl; 3-(C=O)-O-CH_3-phenyl; 4-(C=O)-O-CH_3-phenyl; 2-(CH_2)-(CH_2)-(C=O)-O-CH_3; 3-(CH_2)-(CH_2)-(C=O)-O-CH_3; 4-(CH_2)-(CH_2)-(C=O)-O-CH_3; 2-cyano-

phenyl; 3-cyano-phenyl; 4-cyano-phenyl; 2-nitro-phenyl; 3-nitro-phenyl; 4-nitro-phenyl; 4-(4-bromophenoxy)-phenyl; 2-methylsulfonyl-phenyl; 3-methylsulfonyl-phenyl; 4-methylsulfonyl-phenyl; 2-phenyl-phenyl (biphenyl-2-yl); 3-phenyl-phenyl (biphenyl-3-yl); 4-phenyl-phenyl (biphenyl-4-yl); 2-phenoxy-phenyl; 3-phenoxy-phenyl; 4-phenoxy-phenyl; 2,4-dimethyl-phenyl; 3,4-dimethyl-phenyl; 2,4,6-trimethyl-phenyl; 2,3,5,6-tetramethyl-phenyl; pentamethyl-phenyl; 2,5-dimethoxy-phenyl; 3,4-dimethoxy-phenyl; 2,3-dichloro-phenyl; 2,4-dichloro-phenyl; 2,5-dichloro-phenyl; 3,4-dichloro-phenyl; 3,5-dichloro-phenyl; 2,6-dichloro-phenyl; 2,4-difluoro-phenyl; 3,4-difluoro-phenyl; 2,5-difluoro-phenyl; 2,6-difluoro-phenyl; 3-chloro-2-fluoro-phenyl; 3-chloro-4-fluoro-phenyl; 5-chloro-2-fluoro-phenyl; 2,3,4-trichloro-phenyl; 2,4,5-trichloro-phenyl; 2,4,6-trichloro-phenyl; 2,4,5-trifluoro-phenyl; 2,3,4-trifluoro-phenyl-; 2-chloro-4,5-difluoro-phenyl; 2-bromo-4-fluoro-phenyl; 2-bromo-4,6-difluoro-phenyl; 4-chloro-2,5-difluoro-phenyl; 5-chloro-2,4-difluoro-phenyl; 4-bromo-2,5-difluoro-phenyl; 5-bromo-2,4-difluoro-phenyl; pentafluoro-phenyl; 2,4-dinitro-phenyl; 4-chloro-3-nitro-phenyl; 2-methyl-5-nitro-phenyl; 5-bromo-2-methoxy-phenyl; 3-chloro-2-methyl-phenyl; 4-bromo-3-methyl-phenyl; 4-chloro-2,5-dimethyl-phenyl; 4-fluoro-3-methyl-phenyl; 5-fluoro-2-methyl-phenyl; 2-nitro-4-trifluoromethyl-phenyl; 2-methoxy-4-methyl-phenyl; 3,5-dichloro-2-hydroxy-phenyl; 3,5-dichloro-4-hydroxy-phenyl; 5-chloro-2,4-difluoro-phenyl; 3-chloro-4-(NH)-(C=O)-CH_3-phenyl; 2-chloro-6-methyl-phenyl; 2-chloro-5-trifluoromethyl-phenyl; 2-chloro-5-trifluoromethoxy-phenyl; 4-bromo-2-trifluoromethoxy-phenyl; 4-bromo-2-trifluoromethyl-phenyl; 4-bromo-3-trifluoromethyl-phenyl; 3-carboxy-4-fluoro-phenyl; 3-carboxy-4-chloro-6-fluoro-phenyl; 4-methoxy-2,3,6-trimethyl-phenyl-; or one of the following groups:

PCT/EP 2004/008507



PCT/EP 2004/008507



5

PCT/EP 2004/008507



PCT/EP 2004/008507





whereby in each case X denotes the position by which the respective substituent W^b is bonded to the $-SO_2$ group of formula (Ib).

optionally in form of one of its stereoisomers, preferably enantiomers or diastereomers, its racemate or in form of a mixture of at least two of its stereoisomers, preferably enantiomers or diastereomers, in any mixing ratio, or a physiologically acceptable salt thereof, or a solvate, respectively.

57. Compounds according to any one of claims 42 to 56 selected from the following group:

N°	Compound
1	1-[1-(Naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
2	1-[1-(Toluene-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
3	1-(1-Phenylmethanesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one
4	1-(1-Benzenesulfonyl-piperidin-4-yl)-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
5	6-Chloro-1-[1-(toluene-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
6	6-Chloro-1-(1-phenylmethanesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one
7	6-Chloro-1-[1-(naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
8	6-Chloro-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
9	6-Chloro-1-[1-(5-chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
10	1-[1-(Thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
11	1-[1-(4-Acetyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
12	2-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile
13	1-[1-(2,4-Dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
14	1-[1-(4-Methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
15	1-[1-(2-Naphthalen-1-yl-ethanesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
16	8-Methyl-1-[1-(thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
17	1-[1-(4-Acetyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
18	2-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile
19	1-[1-(2,4-Dimethyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
20	1-[1-(4-Methoxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
21	8-Methyl-1-[1-(2-naphthalen-1-yl-ethanesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
22	4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonic acid dimethylamide
23	2-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid methyl ester
24	1-[1-(3-Trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
25	2-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid methyl ester
26	8-Methyl-1-[1-(3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
27	1-[1-(4-Acetyl-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
28	2-[4-(6-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile
29	6-Chloro-1-[1-(4-methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
30	2-[4-(6-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid methyl ester
31	6-Chloro-1-[1-(2,4-dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
32	6-Chloro-1-[1-(3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
33	1-[1-(5-Chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
34	1-{1-[4-(4-Bromo-phenoxy)-benzenesulfonyl]-piperidin-4-yl}-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
35	1-[1-(4-Fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
36	8-Methyl-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
37	8-Methyl-1-(1-phenylmethanesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one
38	1-[1-(4-Bromo-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-

	one
39	6-Chloro-1-[1-(4-methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
40	1-[1-(Butane-1-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
41	1-[1-(4-Bromo-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
42	1-[1-(4-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
43	1-[1-(Butane-1-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
44	6-Chloro-1-[1-(2-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
45	6-Chloro-1-[1-(3-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
46	1-[1-(Biphenyl-4-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
47	8-Methyl-1-[1-(2-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
48	8-Methyl-1-[1-(3-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
49	1-[1-(Biphenyl-4-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
50	8-Methyl-1-[1-(4-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
51	6-Chloro-1-[1-(4-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
52	1-(1-Ethanesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one
53	1-[1-(Propane-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
54	1-[1-(Propane-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
55	6-Chloro-1-(1-ethanesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one
56	6-Chloro-1-[1-(propane-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
57	6-Chloro-1-[1-(propane-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
58	6-Chloro-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
59	1-[1-(4-Nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
60	6-Methyl-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
61	6-Methyl-1-[1-(2-naphthalen-1-yl-ethanesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
62	6-Methyl-1-[1-(toluene-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
63	1-[1-(4-Fluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
64	6-Methyl-1-[1-(naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
65	6-Methyl-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
66	1-[1-(5-Chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
67	6-Methyl-1-[1-(4-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
68	1-(1-Benzenesulfonyl-piperidin-4-yl)-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
69	1-[1-(4-Chloro-3-nitro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
70	1-[1-(5-Dimethylamino-naphthalene-1-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
71	1-[1-(4-Chloro-3-nitro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
72	1-[1-(4-Chloro-3-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
73	6-Chloro-1-[1-(4-chloro-3-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
74	6-Chloro-1-[1-(5-dimethylamino-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
75	1-[1-(4-Methoxy-2,3,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
76	1-[1-(4-Methoxy-2,3,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-

	benzo[d][1,3]oxazin-2-one
77	6-Chloro-1-[1-(4-methoxy-2,3,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
78	1-[1-(4-Methoxy-2,3,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
79	1-[1-(2-Bromo-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
80	1-[1-(2-Bromo-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
81	1-[1-(2-Bromo-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
82	1-[1-(2-Bromo-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
83	6-Chloro-1-[1-(2,3-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
84	1-[1-(2,3-Dichloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
85	1-[1-(2,4,5-Trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
86	8-Methyl-1-[1-(2,4,5-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
87	6-Chloro-1-[1-(2,4,5-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
88	6-Methyl-1-[1-(2,4,5-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
89	1-[1-(5-Bromo-2-methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
90	1-[1-(5-Bromo-2-methoxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
91	1-[1-(5-Bromo-2-methoxy-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
92	1-[1-(5-Bromo-2-methoxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
93	1-[1-(2,5-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
94	1-[1-(2,5-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
95	6-Chloro-1-[1-(2,5-dimethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
96	1-[1-(2,5-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
97	1-(1-Pentamethylbenzenesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one
98	8-Methyl-1-(1-pentamethylbenzenesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one
99	6-Chloro-1-(1-pentamethylbenzenesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one
100	6-Methyl-1-(1-pentamethylbenzenesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one
101	1-{1-[2-(2,2,2-Trifluoro-acetyl)-1,2,3,4-tetrahydro-isoquinoline-7-sulfonyl]-piperidin-4-yl}-1,4-dihydro-benzo[d][1,3]oxazin-2-one
102	8-Methyl-1-{1-[2-(2,2,2-trifluoro-acetyl)-1,2,3,4-tetrahydro-isoquinoline-7-sulfonyl]-piperidin-4-yl}-1,4-dihydro-benzo[d][1,3]oxazin-2-one
103	6-Chloro-1-{1-[2-(2,2,2-trifluoro-acetyl)-1,2,3,4-tetrahydro-isoquinoline-7-sulfonyl]-piperidin-4-yl}-1,4-dihydro-benzo[d][1,3]oxazin-2-one
104	6-Methyl-1-{1-[2-(2,2,2-trifluoro-acetyl)-1,2,3,4-tetrahydro-isoquinoline-7-sulfonyl]-piperidin-4-yl}-1,4-dihydro-benzo[d][1,3]oxazin-2-one
105	1-[1-(2-Methyl-5-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
106	8-Methyl-1-[1-(2-methyl-5-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
107	6-Chloro-1-[1-(2-methyl-5-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
108	6-Methyl-1-[1-(2-methyl-5-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-

	benzo[d][1,3]oxazin-2-one
109	1-[1-(4-Bromo-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
110	1-[1-(4-Bromo-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
111	1-[1-(4-Bromo-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
112	1-[1-(4-Bromo-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
113	1-[1-(4-Chloro-2,5-dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
114	1-[1-(4-Chloro-2,5-dimethyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
115	6-Chloro-1-[1-(4-chloro-2,5-dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
116	1-[1-(4-Chloro-2,5-dimethyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
117	1-[1-(4-Methoxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
118	1-[1-(4-Isopropyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
119	1-[1-(4-Isopropyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
120	6-Chloro-1-[1-(4-isopropyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
121	1-[1-(4-Isopropyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
122	1-[1-(3-Chloro-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
123	1-[1-(3-Chloro-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
124	6-Chloro-1-[1-(3-chloro-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
125	1-[1-(3-Chloro-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
126	1-[1-(4-Bromo-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
127	6-Methyl-1-[1-(3-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
128	6-Methyl-1-[1-(3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
129	1-[1-(4-Trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
130	1-[1-(2-Nitro-4-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
131	1-[1-(3-Fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
132	1-[1-(2,4-Dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
133	1-[1-(2,4,6-Trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
134	1-[1-(2-Trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
135	8-Methyl-1-[1-(4-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
136	8-Methyl-1-[1-(2-nitro-4-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
137	1-[1-(3-Fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
138	1-[1-(2,4-Dichloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
139	8-Methyl-1-[1-(2,4,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
140	8-Methyl-1-[1-(2-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-

PCT/EP 2004/008507

	benzo[d][1,3]oxazin-2-one
141	1-[1-(4-Fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
142	1-[1-(4-Bromo-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
143	1-[1-(3-Nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
144	1-{1-[4-(4-Bromo-phenoxy)-benzenesulfonyl]-piperidin-4-yl}-1,4-dihydro-benzo[d][1,3]oxazin-2-one
145	1-[1-(3-Methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
146	1-[1-(2-Nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
147	8-Methyl-1-[1-(toluene-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
148	1-(1-Benzenesulfonyl-piperidin-4-yl)-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
149	1-[1-(3-Methoxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
150	1-[1-(2,4-Dimethyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
151	1-{1-[4-(4-Bromo-phenoxy)-benzenesulfonyl]-piperidin-4-yl}-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
152	6-Methyl-1-[1-(thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
153	1-[1-(Toluene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
154	1-[1-(5-Fluoro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
155	1-[1-(4-Isopropoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
156	1-[1-(3-Chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
157	1-[1-(3,4-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
158	1-(1-Pentafluorobenzenesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one
159	8-Methyl-1-[1-(toluene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
160	1-[1-(5-Fluoro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydrobenzo[d][1,3]oxazin-2-one
161	1-[1-(4-Isopropoxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
162	1-[1-(3-Chloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
163	1-[1-(3,4-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
164	8-Methyl-1-(1-pentafluorobenzenesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one
165	6-Methyl-1-[1-(toluene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
166	1-[1-(5-Fluoro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
167	1-[1-(4-Isopropoxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
168	1-[1-(3-Chloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
169	1-[1-(3,4-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
170	6-Methyl-1-(1-pentafluorobenzenesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one
171	6-Methyl-1-[1-(4-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
172	6-Methyl-1-[1-(2-nitro-4-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
173	1-[1-(3-Fluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
174	1-[1-(2,4-Dichloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
175	6-Methyl-1-[1-(2,4,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
176	6-Methyl-1-[1-(2-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
177	1-[1-(3-Methoxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one

PCT/EP 2004/008507

178	6-Methyl-1-[1-(2-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
179	1-[1-(4-Acetyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
180	1-[1-(4-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
181	6-Methyl-1-(1-phenylmethanesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one
182	2-[4-(6-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]benzoic acid methyl ester
183	6-Methyl-1-[1-(2-oxo-2H-chromene-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
184	6-Chloro-1-[1-(4-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
185	6-Chloro-1-[1-(3,5-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
186	1-[1-[4-(4-Bromo-phenoxy)-benzenesulfonyl]-piperidin-4-yl)-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
187	6-Chloro-1-[1-(thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
188	6-Chloro-1-[1-(3-methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
189	6-Chloro-1-[1-(2-oxo-2H-chromene-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
190	6-Chloro-1-[1-(toluene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
191	6-Chloro-1-[1-(5-fluoro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
192	6-Chloro-1-[1-(4-isopropoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
193	6-Chloro-1-[1-(3-chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
194	6-Chloro-1-[1-(3,4-dimethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
195	6-Chloro-1-(1-pentafluorobenzenesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one
196	6-Chloro-1-[1-(4-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
197	6-Chloro-1-[1-(2-nitro-4-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
198	6-Chloro-1-[1-(3-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
199	6-Chloro-1-[1-(2,4-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
200	6-Chloro-1-[1-(2,4,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
201	6-Chloro-1-[1-(2-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
202	1-[1-(2-Oxo-2H-chromene-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
203	1-[1-(3,5-Dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
204	1-[1-(2,5-Dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
205	1-[1-(5-Bromo-6-chloro-pyridine-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
206	1-[1-(4-Chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
207	1-[1-(2,6-Dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
208	8-Methyl-1-[1-(2-oxo-2H-chromene-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
209	1-[1-(3,5-Dichloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
210	1-[1-(2,5-Dichloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
211	1-[1-(5-Bromo-6-chloro-pyridine-3-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one

212	1-[1-(4-Chloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
213	1-[1-(2,6-Dichloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
214	1-[1-(Biphenyl-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
215	6-Chloro-1-[1-(2,5-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
216	1-[1-(5-Bromo-6-chloro-pyridine-3-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
217	6-Chloro-1-[1-(4-chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
218	6-Chloro-1-[1-(2,6-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
219	1-[1-(Biphenyl-4-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
220	2-[4-(6-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile
221	1-[1-(2,5-Dichloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
222	1-[1-(5-Bromo-6-chloro-pyridine-3-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
223	1-[1-(4-Chloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
224	1-[1-(2,6-Dichloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
225	1-[1-(3,5-Dichloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
226	6-Methyl-1-[1-(1-methyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
227	1-[1-(5-Bromo-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
228	1-[1-(4-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
229	1-[1-(1-Methyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
230	1-[1-(5-Bromo-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
231	1-[1-(6-Chloro-imidazo[2,1-b]thiazole-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
232	1-[1-(4-Ethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
233	1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
234	1-[1-(6-Chloro-imidazo[2,1-b]thiazole-5-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
235	1-[1-(4-Ethyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
236	1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
237	6-Chloro-1-[1-(6-chloro-imidazo[2,1-b]thiazole-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
238	6-Chloro-1-[1-(4-ethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
239	1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
240	1-[1-(6-Chloro-imidazo[2,1-b]thiazole-5-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
241	1-[1-(4-Ethyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
242	1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
243	1-[1-(7-Chloro-benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
244	1-[1-(2-Methoxy-4-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-

	2-one
245	3-{4-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl}-propionic acid methyl ester
246	1-[1-(2,4-Dinitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
247	1-[1-(7-Chloro-benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
248	1-[1-(2-Methoxy-4-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
249	3-{4-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl}-propionic acid methyl ester
250	1-[1-(2,4-Dinitro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
251	1-[1-(7-Chloro-benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
252	1-[1-(2-Methoxy-4-methyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
253	3-{4-[4-(6-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl}-propionic acid methyl ester
254	1-[1-(2,4-Dinitro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
255	6-Chloro-1-[1-(7-chloro-benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
256	6-Chloro-1-[1-(2-methoxy-4-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
257	3-{4-[4-(6-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl}-propionic acid methyl ester
258	6-Chloro-1-[1-(2,4-dinitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
259	6-Chloro-1-[1-(1-methyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
260	1-[1-(5-Bromo-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
261	8-Methyl-1-[1-(1-methyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
262	1-[1-(5-Bromo-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
263	1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
264	1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
265	1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
266	1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
267	1-[1-(2,5-Difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
268	1-[1-(2,5-Difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
269	6-Chloro-1-[1-(2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
270	1-[1-(2,5-Difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
271	1-[1-(4-Chloro-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
272	1-[1-(4-Chloro-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
273	6-Chloro-1-[1-(4-chloro-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
274	1-[1-(4-Chloro-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
275	1-[1-(2,4,5-Trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
276	8-Methyl-1-[1-(2,4,5-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-

	benzo[d][1,3]oxazin-2-one
277	6-Chloro-1-[1-(2,4,5-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
278	6-Methyl-1-[1-(2,4,5-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
279	1-[1-(3,5-Dichloro-2-hydroxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
280	1-[1-(2,6-Difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
281	1-[1-(2,6-Difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
282	6-Chloro-1-[1-(2,6-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
283	1-[1-(2,6-Difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
284	1-[1-(5-Chloro-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
285	1-[1-(5-Chloro-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
286	6-Chloro-1-[1-(5-chloro-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
287	1-[1-(5-Chloro-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
288	1-[1-(2-Chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
289	1-[1-(2-Chloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
290	6-Chloro-1-[1-(2-chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
291	1-[1-(2-Chloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
292	6-Chloro-1-[1-(2-naphthalen-1-yl-ethanesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
293	6-Bromo-1-[1-(4-bromo-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1.3]oxazin-2-one
294	6-Bromo-1-[1-(toluene-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1.3]oxazin-2-one
295	6-Bromo-1-[1-(2,4-dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
296	6-Bromo-1-[1-(2-naphthalen-1-yl-ethanesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
297	6-Bromo-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
298	6-Bromo-1-[1-(5-chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
299	6-Bromo-1-[1-(3-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
300	6-Bromo-1-[1-(naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
301	6-Bromo-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
302	1-(1-Benzenesulfonyl-piperidin-4-yl)-6-bromo-1,4-dihydro-benzo[d][1,3]oxazin-2-one
303	6-Bromo-1-[1-[4-(4-bromo-phenoxy)-benzenesulfonyl]-piperidin-4-yl}-1,4-dihydro-benzo[d][1,3]oxazin-2-one
304	6-Bromo-1-[1-(thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
305	6-Bromo-1-[1-(2-methyl-5-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
306	6-Bromo-1-[1-(4-bromo-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
307	6-Bromo-1-[1-(toluene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
308	6-Bromo-1-[1-(5-fluoro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
309	6-Bromo-1-[1-(4-isopropoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
310	6-Bromo-1-[1-(3-chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one

311	6-Bromo-1-[1-(3,4-dimethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
312	6-Bromo-1-(1-pentafluorobenzenesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one
313	6-Bromo-1-[1-(4-chloro-2,5-dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
314	6-Bromo-1-[1-(3-methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
315	6-Bromo-1-[1-(4-isopropyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
316	6-Bromo-1-[1-(4-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
317	6-Bromo-1-[1-(3-chloro-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
318	6-Bromo-1-(1-pentamethylbenzenesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one
319	6-Bromo-1-[1-(2-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
320	6-Bromo-1-[1-(4-chloro-3-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
321	6-Bromo-1-[1-(5-dimethylamino-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
322	6-Bromo-1-[1-(4-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
323	1-[1-(4-Acetyl-benzenesulfonyl)-piperidin-4-yl]-6-bromo-1,4-dihydro-benzo[d][1,3]oxazin-2-one
324	6-Bromo-1-[1-(4-methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
325	1-[1-(Biphenyl-4-sulfonyl)-piperidin-4-yl]-6-bromo-1,4-dihydro-benzo[d][1,3]oxazin-2-one
326	6-Bromo-1-(1-phenylmethanesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one
327	6-Bromo-1-[1-(2,5-dimethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
328	6-Bromo-1-{1-[2-(2,2,2-trifluoro-acetyl)-1,2,3,4-tetrahydro-isoquinoline-7-sulfonyl]-piperidin-4-yl}-1,4-dihydro-benzo[d][1,3]oxazin-2-one
329	6-Bromo-1-[1-(2,3-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
330	6-Bromo-1-[1-(2,4,5-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
331	6-Bromo-1-[1-(5-bromo-2-methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
332	6-Bromo-1-[1-(4-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
333	6-Bromo-1-[1-(2-nitro-4-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
334	6-Bromo-1-[1-(3-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
335	6-Bromo-1-[1-(2,4-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
336	6-Bromo-1-[1-(2,4,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
337	6-Bromo-1-[1-(2-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
338	6-Bromo-1-[1-(2-bromo-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
339	6-Bromo-1-[1-(4-methoxy-2,3,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
340	1-[1-(3,5-Dichloro-4-hydroxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
341	1-[1-(3,5-Dichloro-4-hydroxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one

PCT/EP 2004/008507

342	6-Chloro-1-[1-(3,5-dichloro-4-hydroxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
343	1-[1-(3,5-Dichloro-4-hydroxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
344	6-Bromo-1-[1-(3,5-dichloro-4-hydroxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
345	6-Chloro-1-[1-(3,5-dichloro-2-hydroxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
346	6-Bromo-1-[1-(3,5-dichloro-2-hydroxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
347	2-[4-(6-Bromo-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile
348	6-Bromo-1-[1-(4-methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
349	2-[4-(6-Bromo-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid methyl ester
350	6-Bromo-1-[1-(3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
351	6-Bromo-1-[1-(2-oxo-2H-chromene-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
352	6-Bromo-1-[1-(3,5-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
353	6-Bromo-1-[1-(2,5-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
354	6-Bromo-1-[1-(5-bromo-6-chloro-pyridine-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
355	6-Bromo-1-[1-(4-chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
356	6-Bromo-1-[1-(2,6-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
357	6-Bromo-1-[1-(1-methyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
358	6-Bromo-1-[1-(5-bromo-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
359	6-Bromo-1-[1-(4-ethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
360	6-Bromo-1-[1-(6-chloro-imidazo[2,1-b]thiazole-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
361	1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-6-bromo-1,4-dihydro-benzo[d][1,3]oxazin-2-one
362	6-Bromo-1-[1-(7-chloro-benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
363	6-Bromo-1-[1-(2-methoxy-4-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
364	3-{4-[4-(6-Bromo-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl}-propionic acid methyl ester
365	6-Bromo-1-[1-(2,4-dinitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
366	1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6-bromo-1,4-dihydro-benzo[d][1,3]oxazin-2-one
367	6-Bromo-1-[1-(2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
368	6-Bromo-1-[1-(4-chloro-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
369	6-Bromo-1-[1-(2,4,5-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
370	6-Bromo-1-[1-(2,6-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
371	6-Bromo-1-[1-(5-chloro-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
372	6-Bromo-1-[1-(2-chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-

PCT/EP 2004/008507

	one
373	6-Bromo-1-[1-(2,3,4-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
374	N-{4-[4-(6-Bromo-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-2-chloro-phenyl}-acetamide
375	1-[1-(2,3,4-Trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
376	8-Methyl-1-[1-(2,3,4-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
377	6-Chloro-1-[1-(2,3,4-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
378	6-Methyl-1-[1-(2,3,4-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
379	N-{2-Chloro-4-[4-(6-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl}-acetamide
380	1-[1-(3,4-Difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
381	1-[1-(3,4-Difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
382	6-Chloro-1-[1-(3,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
383	1-[1-(3,4-Difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
384	6-Bromo-1-[1-(3,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
385	N-{2-Chloro-4-[4-(8-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl}-acetamide
386	1-[1-(2-Chloro-4,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
387	1-[1-(2-Chloro-4,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
388	6-Chloro-1-[1-(2-chloro-4,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
389	1-[1-(2-Chloro-4,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
390	6-Bromo-1-[1-(2-chloro-4,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
391	N-{2-Chloro-4-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl}-acetamide
392	1-[1-(Benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
393	1-[1-(Benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
394	1-[1-(Benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
395	1-[1-(Benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
396	1-[1-(Benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-6-bromo-1,4-dihydro-benzo[d][1,3]oxazin-2-one
397	N-{2-Chloro-4-[4-(6-chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl}-acetamide
398	1-[1-(Benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
399	1-[1-(Benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
400	1-[1-(Benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
401	1-[1-(Benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
402	1-[1-(Benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-6-bromo-1,4-dihydro-benzo[d][1,3]oxazin-2-one
403	1-(1-Ethanesulfonyl-piperidin-4-yl)-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one

404	1-[1-(2,4-Difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
405	1-[1-(2,4-Difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
406	6-Chloro-1-[1-(2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
407	1-[1-(2,4-Difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
408	6-Bromo-1-[1-(2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
409	8-Methyl-1-[1-(propane-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
410	1-[1-(3,4-Dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
411	1-[1-(3,4-Dichloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
412	6-Chloro-1-[1-(3,4-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
413	1-[1-(3,4-Dichloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
414	6-Bromo-1-[1-(3,4-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
415	8-Methyl-1-[1-(propane-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
416	1-[1-(2-Chloro-6-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
417	1-[1-(2-Chloro-6-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
418	6-Chloro-1-[1-(2-chloro-6-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
419	1-[1-(2-Chloro-6-methyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
420	1-[1-(2-Chloro-6-methyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
421	8-Methyl-1-[1-(2,3,5,6-tetramethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
422	1-[1-(2,3,4-Trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
423	8-Methyl-1-[1-(2,3,4-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
424	6-Chloro-1-[1-(2,3,4-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
425	6-Methyl-1-[1-(2,3,4-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
426	6-Bromo-1-[1-(2,3,4-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
427	1-[1-(2,3,5,6-Tetramethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
428	1-[1-(Thiophene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
429	8-Methyl-1-[1-(thiophene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
430	6-Chloro-1-[1-(thiophene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
431	6-Methyl-1-[1-(thiophene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
432	6-Bromo-1-[1-(thiophene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
433	6-Chloro-1-[1-(2,3,5,6-tetramethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
434	1-[1-(2,4,6-Trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
435	8-Methyl-1-[1-(2,4,6-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
436	6-Chloro-1-[1-(2,4,6-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
437	6-Methyl-1-[1-(2,4,6-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
438	6-Bromo-1-[1-(2,4,6-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
439	6-Methyl-1-[1-(2,3,5,6-tetramethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-

	benzo[d][1,3]oxazin-2-one
440	1-[1-(2-Bromo-4,6-difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
441	1-[1-(2-Bromo-4,6-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
442	1-[1-(2-Bromo-4,6-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
443	6-Bromo-1-[1-(2-bromo-4,6-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
444	6-Bromo-1-[1-(2,3,5,6-tetramethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
445	1-[1-(4-Bromo-2-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
446	1-[1-(4-Bromo-2-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
447	1-[1-(4-Bromo-2-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
448	1-[1-(4-Bromo-2-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
449	6-Bromo-1-[1-(4-bromo-2-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
450	1-[1-(4-Phenoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
451	1-[1-(3-Bromo-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
452	1-[1-(3-Bromo-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
453	1-[1-(3-Bromo-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
454	1-[1-(3-Bromo-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
455	6-Bromo-1-[1-(3-bromo-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
456	8-Methyl-1-[1-(4-phenoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
457	1-[1-(4-tert-Butyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
458	1-[1-(4-tert-Butyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
459	1-[1-(4-tert-Butyl-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
460	1-[1-(4-tert-Butyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
461	6-Bromo-1-[1-(4-tert-butyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
462	6-Chloro-1-[1-(4-phenoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
463	1-[1-(2-Bromo-4,6-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
464	1-[1-(2-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
465	6-Chloro-1-[1-(2-methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
466	1-[1-(2-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
467	6-Bromo-1-[1-(2-methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
468	8-Methyl-1-[1-(4-propyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
469	6-Chloro-1-[1-(4-propyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
470	6-Methyl-1-[1-(4-propyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one

471	6-Bromo-1-[1-(4-propyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
472	1-[1-(3-Chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
473	6-Chloro-1-[1-(3-chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
474	1-[1-(3-Chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
475	6-Bromo-1-[1-(3-chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
476	1-[1-(4-Butyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
477	1-[1-(4-Butyl-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
478	1-[1-(4-Butyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
479	6-Bromo-1-[1-(4-butyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
480	1-[1-(4-Bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
481	1-[1-(4-Bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
482	1-[1-(4-Bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
483	6-Bromo-1-[1-(4-bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
484	1-{1-[4-(1,1-Dimethyl-propyl)-benzenesulfonyl]-piperidin-4-yl}-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
485	6-Chloro-1-{1-[4-(1,1-dimethyl-propyl)-benzenesulfonyl]-piperidin-4-yl}-1,4-dihydro-benzo[d][1,3]oxazin-2-one
486	1-{1-[4-(1,1-Dimethyl-propyl)-benzenesulfonyl]-piperidin-4-yl}-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
487	6-Bromo-1-{1-[4-(1,1-dimethyl-propyl)-benzenesulfonyl]-piperidin-4-yl}-1,4-dihydro-benzo[d][1,3]oxazin-2-one
488	1-(1-Ethenesulfonyl-piperidin-4-yl)-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
489	3-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid
490	3-[4-(6-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid
491	3-[4-(6-Bromo-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid
492	1-[1-(3-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
493	6-Chloro-1-[1-(3-chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
494	1-[1-(3-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
495	6-Bromo-1-[1-(3-chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
496	N-{4-Methyl-5-[4-(8-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiazol-2-yl}-acetamide
497	N-{5-[4-(6-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-4-methyl-thiazol-2-yl}-acetamide
498	N-{4-Methyl-5-[4-(6-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiazol-2-yl}-acetamide
499	N-{5-[4-(6-Bromo-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-4-methyl-thiazol-2-yl}-acetamide
500	1-[1-(2-Bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
501	1-[1-(2-Bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
502	1-[1-(2-Bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one

503	6-Bromo-1-[1-(2-bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
504	1-[1-(5-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
505	6-Chloro-1-[1-(5-chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
506	1-[1-(5-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
507	6-Bromo-1-[1-(5-chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
508	1-[1-(4-Bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
509	1-[1-(4-Bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
510	1-[1-(4-Bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
511	6-Bromo-1-[1-(4-bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
512	1-[1-(2-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
513	1-[1-(4-Propyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
514	1-[1-(3-Chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
515	1-[1-(4-Butyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
516	1-[1-(4-Bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
517	1-{1-[4-(1,1-Dimethyl-propyl)-benzenesulfonyl]-piperidin-4-yl}-1,4-dihydro-benzo[d][1,3]oxazin-2-one
518	N-[4-Methyl-5-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiazol-2-yl}-acetamide
519	1-[1-(3-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
520	1-[1-(2-Bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
521	1-[1-(4-Bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
522	1-[1-(5-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
523	1-[1-(Isoquinoline-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
524	6-Fluoro-1-[1-(2-methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
525	6-Fluoro-1-[1-(4-propyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
526	1-[1-(3-Chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
527	1-[1-(4-Butyl-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
528	1-[1-(4-Bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
529	1-{1-[4-(1,1-Dimethyl-propyl)-benzenesulfonyl]-piperidin-4-yl}-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
530	N-{5-[4-(6-Fluoro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-4-methyl-thiazol-2-yl}-acetamide
531	1-[1-(3-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
532	1-[1-(2-Bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
533	1-[1-(4-Bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
534	1-[1-(5-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one

535	6-Fluoro-1-[1-(isoquinoline-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
536	6-Fluoro-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
537	1-[1-(5-Chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
538	6-Fluoro-1-[1-(naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
539	6-Fluoro-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
540	1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
541	1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
542	8-Methoxy-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
543	1-[1-(5-Chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
544	8-Methoxy-1-[1-(naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
545	8-Methoxy-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
546	1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
547	1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
548	5-Chloro-1-[1-(2-methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
549	5-Chloro-1-[1-(4-propyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
550	5-Chloro-1-[1-(3-chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
551	1-[1-(4-Butyl-benzenesulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
552	1-[1-(4-Bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
553	5-Chloro-1-[1-[4-(1,1-dimethyl-propyl)-benzenesulfonyl]-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
554	N-[5-[4-(5-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-4-methyl-thiazol-2-yl]-acetamide
555	5-Chloro-1-[1-(3-chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
556	1-[1-(2-Bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
557	1-[1-(4-Bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
558	5-Chloro-1-[1-(5-chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
559	5-Chloro-1-[1-(isoquinoline-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
560	1-[1-(2-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
561	1-[1-(2-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
562	1-[1-(3-Chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
563	1-[1-(4-Butyl-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
564	1-[1-(4-Bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
565	1-[1-[4-(1,1-Dimethyl-propyl)-benzenesulfonyl]-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
566	N-[5-[4-(8-Methoxy-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-4-methyl-thiazol-2-yl]-acetamide
567	1-[1-(3-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one

568	1-[1-(2-Bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
569	1-[1-(4-Bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
570	1-[1-(5-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
571	1-[1-(Isoquinoline-5-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one; hydrochloride
572	1-[1-(4-Methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
573	6-Chloro-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
574	6-Methyl-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
575	8-Methyl-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
576	6-Fluoro-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
577	8-Methoxy-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
578	5-Chloro-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
579	5-Chloro-1-[1-(naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
580	5-Chloro-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
581	5-Chloro-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
582	5-Chloro-1-[1-(5-chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
583	1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
584	1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
585	6-Bromo-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
586	2-Chloro-4-fluoro-5-[4-(8-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid
587	2-Chloro-5-[4-(6-chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-4-fluoro-benzoic acid
588	2-Chloro-4-fluoro-5-[4-(6-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid
589	2-Chloro-4-fluoro-5-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid
590	2-Chloro-4-fluoro-5-[4-(8-methoxy-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid
591	2-Chloro-5-[4-(5-chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-4-fluoro-benzoic acid
592	3-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid
593	3-[4-(8-Methoxy-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid
594	3-[4-(5-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid
595	1-[1-(Isoquinoline-5-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one; hydrochloride
596	6-Chloro-1-[1-(isoquinoline-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one; hydrochloride
597	-[1-(Isoquinoline-5-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one;hydrochloride
598	6,7-Difluoro-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
599	1-[1-(5-Chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
600	6,7-Difluoro-1-[1-(naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
601	6,7-Difluoro-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one

602	1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
603	1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
604	1-[1-(5-Dimethylamino-naphthalene-1-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
605	1-[1-(Biphenyl-4-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
606	1-[1-(Benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
607	1-[1-(Benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
608	1-[1-(7-Chloro-benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
609	6,7-Difluoro-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
610	1-[1-(4-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
611	1-[1-(4-Fluoro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
612	1-[1-(Dibenzofuran-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
613	1-[1-(2,3-Dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
614	1-[1-(Biphenyl-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
615	1-[1-(5-Isoxazol-5-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
616	1-[1-(4-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
617	1-[1-(4-Fluoro-naphthalene-1-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
618	1-[1-(Dibenzofuran-2-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
619	1-[1-(2,3-Dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
620	1-[1-(Biphenyl-2-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
621	1-[1-(5-Isoxazol-5-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
622	5-Chloro-1-[1-(4-chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
623	5-Chloro-1-[1-(4-fluoro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
624	5-Chloro-1-[1-(dibenzofuran-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
625	5-Chloro-1-[1-(2,3-dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
626	1-[1-(Biphenyl-2-sulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
627	5-Chloro-1-[1-(5-isoxazol-5-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
628	1-[1-(4-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
629	1-[1-(4-Fluoro-naphthalene-1-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
630	1-[1-(Dibenzofuran-2-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
631	1-[1-(2,3-Dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
632	1-[1-(Biphenyl-2-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
633	1-[1-(5-Isoxazol-5-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
634	6-Chloro-1-[1-(4-chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
635	6-Chloro-1-[1-(4-fluoro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one

636	6-Chloro-1-[1-(dibenzofuran-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
637	6-Chloro-1-[1-(2,3-dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
638	1-[1-(Biphenyl-2-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
639	6-Chloro-1-[1-(5-isoxazol-5-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
640	1-[1-(4-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
641	1-[1-(4-Fluoro-naphthalene-1-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
642	1-[1-(Dibenzofuran-2-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
643	1-[1-(2,3-Dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
644	1-[1-(Biphenyl-2-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
645	1-[1-(5-Isoxazol-5-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
646	1-[1-(4-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
647	6,7-Difluoro-1-[1-(4-fluoro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
648	1-[1-(Dibenzofuran-2-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
649	1-[1-(2,3-Dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
650	1-[1-(Biphenyl-2-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
651	6,7-Difluoro-1-[1-(5-isoxazol-5-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
652	1-[1-(1,2-Dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
653	1-[1-(5-Methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
654	1-[1-(3,5-Dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
655	1-[1-(1,2-Dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
656	8-Methyl-1-[1-(5-methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
657	1-[1-(3,5-Dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
658	6-Chloro-1-[1-(1,2-dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
659	6-Chloro-1-[1-(5-methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
660	6-Chloro-1-[1-(3,5-dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
661	1-[1-(1,2-Dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
662	8-Methoxy-1-[1-(5-methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
663	1-[1-(3,5-Dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
664	5-Chloro-1-[1-(1,2-dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
665	5-Chloro-1-[1-(5-methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
666	5-Chloro-1-[1-(3,5-dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
667	1-[1-(1,2-Dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-

	benzo[d][1,3]oxazin-2-one
668	6-Methyl-1-[1-(5-methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
669	1-[1-(3,5-Dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
670	1-[1-(1,2-Dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
671	6-Fluoro-1-[1-(5-methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
672	1-[1-(3,5-Dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
673	1-[1-(1,2-Dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
674	6,7-Difluoro-1-[1-(5-methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
675	1-[1-(3,5-Dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
676	1-[1-(5-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
677	1-[1-(5-Chloro-naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
678	N-{5-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl}-acetamide
679	1-[1-(5-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
680	1-[1-(5-Chloro-naphthalene-2-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
681	N-{5-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl}-acetamide
682	5-Chloro-1-[1-(5-chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
683	5-Chloro-1-[1-(5-chloro-naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
684	N-{5-[4-(5-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl}-acetamide
685	1-[1-(5-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
686	1-[1-(5-Chloro-naphthalene-2-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
687	N-{5-[4-(8-Methoxy-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl}-acetamide
688	2,5-Dimethyl-4-[4-(8-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-furan-3-carboxylic acid methyl ester
689	8-Methyl-1-[1-(2-oxo-2,3-dihydro-benzothiazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
690	1-[1-(4-Fluoro-3-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
691	8-Methyl-1-[1-(2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
692	1-[1-(4-Cyclohexyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
693	2,5-Dimethyl-4-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-furan-3-carboxylic acid methyl ester
694	1-[1-(4-Fluoro-3-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
695	1-[1-(2-Oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
696	1-[1-(4-Cyclohexyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
697	2-Fluoro-5-[4-(8-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid
698	2-Fluoro-5-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid
699	1-[1-(2-Oxo-2,3-dihydro-benzothiazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-

	benzo[d][1,3]oxazin-2-one
700	1-[1-(5-Pyridin-2-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro -benzo[d][1,3]oxazin-2-one
701	3-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile
702	3-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiophene-2-carboxylic acid methyl ester
703	1-{5-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl}-pyrrolidine-2,5-dione
704	1-[1-(2-Chloro-5-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
705	1-[1-(3,4-Dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
706	8-Methyl-1-[1-(5-pyridin-2-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
707	3-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile
708	3-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiophene-2-carboxylic acid methyl ester
709	1-{5-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl}-pyrrolidine-2,5-dione
710	1-[1-(2-Chloro-5-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
711	1-[1-(3,4-Dimethyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
712	5-Chloro-1-[1-(5-pyridin-2-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
713	3-[4-(5-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile
714	3-[4-(5-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiophene-2-carboxylic acid methyl ester
715	1-{5-[4-(5-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl}-pyrrolidine-2,5-dione
716	5-Chloro-1-[1-(2-chloro-5-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
717	5-Chloro-1-[1-(3,4-dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
718	6-Methyl-1-[1-(5-pyridin-2-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
719	3-[4-(6-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile
720	3-[4-(6-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiophene-2-carboxylic acid methyl ester
721	1-{5-[4-(6-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl}-pyrrolidine-2,5-dione
722	1-[1-(2-Chloro-5-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
723	1-[1-(3,4-Dimethyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
724	6-Chloro-1-[1-(5-pyridin-2-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
725	3-[4-(6-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile
726	3-[4-(6-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiophene-2-carboxylic acid methyl ester
727	1-{5-[4-(6-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl}-pyrrolidine-2,5-dione
728	6-Chloro-1-[1-(2-chloro-5-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
729	6-Chloro-1-[1-(3,4-dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
730	1-[1-(5-Methyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
731	1-[1-(2,2-Dimethyl-chroman-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
732	1-[1-(4-Methyl-3,4-dihydro-2H-benzo[1,4]oxazine-7-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
733	1-[1-(2,3-Dihydro-benzo[1,4]dioxine-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-

	benzo[d][1,3]oxazin-2-one
734	1-[1-(1,3,5-Trimethyl-1H-pyrazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
735	1-[1-(3-Methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
736	8-Methyl-1-[1-(5-methyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
737	1-[1-(2,2-Dimethyl-chroman-6-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
738	8-Methyl-1-[1-(4-methyl-3,4-dihydro-2H-benzo[1,4]oxazine-7-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
739	1-[1-(2,3-Dihydro-benzo[1,4]dioxine-6-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
740	8-Methyl-1-[1-(1,3,5-trimethyl-1H-pyrazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
741	8-Methyl-1-[1-(3-methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
742	8-Methoxy-1-[1-(1,3,5-trimethyl-1H-pyrazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
743	8-Methoxy-1-[1-(3-methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
744	1-[1-(Benzo[d]isoxazol-3-ylmethanesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
745	1-[1-(2,2,4,6,7-Pentamethyl-2,3-dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
746	6-Methyl-5-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-1H-pyrimidine-2,4-dione
747	1-[1-(3-Methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
748	1-[1-(2,2,5,7,8-Pentamethyl-chroman-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
749	1,4-Dimethyl-6-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-1,4-dihydro-quinoxaline-2,3-dione
750	1-[1-(1H-Imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
751	1-[1-(2-Oxo-1,2,3,4-tetrahydro-quinoline-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
752	7-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-1,5-dihydro-benzo[b][1,4]diazepine-2,4-dione
753	8-Methyl-1-[1-(3-methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
754	6-Chloro-1-[1-(3-methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
755	5-Chloro-1-[1-(3-methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
756	8-Methoxy-1-[1-(3-methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
757	1-[1-(Pyridine-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
758	1-[1-(6,7-Dihydroxy-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
759	Acetic acid 3-acetoxy-5-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-2-yl ester
760	1-[1-(1H-Benzoimidazole-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
761	1-[1-(1H-Benzoimidazole-2-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
762	1-[1-(1H-Benzoimidazole-2-sulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
763	1-[1-(2,5-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
764	1-[1-(2,5-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
765	1-[1-(2,5-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-

	benzo[d][1,3]oxazin-2-one
766	5-Chloro-1-[1-(2,5-dimethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
767	1-[1-(5-Dimethylamino-naphthalene-1-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one
768	5-Chloro-1-[1-(5-dimethylamino-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
769	6-Chloro-1-[1-(5-chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
770	1-[1-(5-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
771	1-[1-(5-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
772	6-Chloro-1-[1-(5-chloro-naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
773	1-[1-(5-Chloro-naphthalene-2-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one
774	1-[1-(5-Chloro-naphthalene-2-sulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one
775	6-Methyl-1-[1-(3-methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
776	6-Fluoro-1-[1-(3-methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
777	6,7-Difluoro-1-[1-(3-methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
778	6-Chloro-1-[1-(3-methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
779	6-Methyl-1-[1-(3-methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
780	6-Fluoro-1-[1-(3-methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
781	6,7-Difluoro-1-[1-(3-methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
782	5-Chloro-1-[1-(3-methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
783	8-Chloro-1-[1-(4-methyl-3,4-dihydro-2H-benzo[1,4]oxazine-7-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
784	6-Methyl-1-[1-(4-methyl-3,4-dihydro-2H-benzo[1,4]oxazine-7-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
785	6-Fluoro-1-[1-(4-methyl-3,4-dihydro-2H-benzo[1,4]oxazine-7-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
786	8-Methoxy-1-[1-(4-methyl-3,4-dihydro-2H-benzo[1,4]oxazine-7-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one
787	5-Chloro-1-[1-(4-methyl-3,4-dihydro-2H-benzo[1,4]oxazine-7-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one

58. Process for the preparation of benzoxazinone-derived sulfonamide compounds of general formula (Ib) according to one or more of claims 42 to 57, characterized in that it comprises reacting at least one piperidine compound of general formula (IIb), wherein R^{1b} to R^{8b} have the meaning according to one or more of claims 42-57 and/or a salt, preferably a hydrochloride salt, thereof,



(IIb)

with at least one compound of general formula (IIIb),



(IIIb)

wherein W^b has the meaning according to one or more of claims 42-57, in a suitable reaction medium, optionally in the presence of at least one base and/or at least one auxiliary agent.

59. Process for the preparation of a physiologically acceptable salt of the benzoxazinone-derived sulphonamide compounds according to claims 42-57, characterized in that at least one compound of general formula (Ib) having at least one basic group is reacted with at least one acid, preferably an inorganic or organic acid, preferably in the presence of a suitable reaction medium.

60. Process for the preparation of a physiologically acceptable salt of the benzoxazinone-derived sulphonamide compounds according to claims 42-57, characterized in that at least one compound of general formula (Ib) having at least one acidic group is reacted with at least one base, preferably in the presence of a suitable reaction medium.

61. Medicament comprising at least one benzoxazinone-derived sulphonamide compound according to any one of claims 42-57 and optionally one or more pharmaceutically acceptable adjuvants.

62. Medicament according to claim 61 for the prophylaxis and/or treatment of food intake disorders, preferably for the regulation of appetite, for the maintenance, increase or reduction of body weight, for the prophylaxis and/or treatment of obesity, for the prophylaxis and/or treatment of bulimia, for the prophylaxis and/or treatment of anorexia, for the prophylaxis and/or treatment of cachexia, for the prophylaxis and/or treatment type II diabetes (non-insulin dependent diabetes mellitus).

63. Medicament according to claim 61 for the prophylaxis and/or treatment of gastrointestinal disorders, preferably irritable colon syndrome; for the prophylaxis and/or treatment of disorders of the central nervous system; for the prophylaxis and/or treatment of anxiety; for the prophylaxis and/or treatment panic attacks; for the prophylaxis and/or treatment of depression; for the prophylaxis and/or treatment of bipolar disorders; for the prophylaxis and/or treatment cognitive disorders, preferably memory disorders; for improvement of cognition (for cognitive enhancement); for the prophylaxis and/or treatment of senile dementia; for the prophylaxis and/or treatment of psychosis; for the prophylaxis and/or treatment neurodegenerative disorders;

preferably selected from the group consisting of Morbus Alzheimer, Morbus Parkinson, Morbus Huntington and Multiple Sclerosis; for the prophylaxis and/or treatment of schizophrenia or for the prophylaxis and/or treatment hyperactivity disorder (ADHD, attention deficit, hyperactivity disorder).

64. Use of at least one benzoxazinone-derived sulphonamide compound according to any one of claims 42-57 for the manufacture of a medicament for the prophylaxis and/or treatment of food intake disorders.

65. Use according to claim 64 for the regulation of appetite, for the reduction, increase or maintenance of body weight; for the prophylaxis and/or treatment of obesity, for the prophylaxis and/or treatment of bulimia, for the prophylaxis and/or treatment of anorexia; for the prophylaxis and/or treatment of cachexia; or for the prophylaxis and/or treatment of type II diabetes.

66. Use of at least one benzoxazinone-derived sulphonamide compound according to any one of claims 42-57 for the manufacture of a medicament for the prophylaxis and/or treatment of of gastrointestinal disorders, preferably irritable colon syndrome; for the prophylaxis and/or treatment of disorders of the central nervous system; for the prophylaxis and/or treatment of anxiety; for the prophylaxis and/or treatment panic attacks; for the prophylaxis and/or treatment of depression; for the prophylaxis and/or treatment of bipolar disorders; for the prophylaxis and/or treatment cognitive disorders, preferably memory disorders; for improvement of cognition (for cognitive enhancement); for the prophylaxis and/or treatment of senile dementia; for the prophylaxis and/or treatment of psychosis; for the prophylaxis and/or treatment neurodegenerative disorders; preferably selected from the group consisting of Morbus Alzheimer, Morbus Parkinson, Morbus Huntington and Multiple Sclerosis; for the prophylaxis and/or treatment of schizophrenia; or for the prophylaxis and/or treatment hyperactivity disorder (ADHD, attention deficit, hyperactivity disorder).